



# UNFADING BEAUTY


Real beauty isn't here today and gone tomorrow. It's strong, stable and always enduring. You'll discover these qualities in every JELD-WEN Fiberglass, Engineered Composite and Steel exterior door. These doors are built to last. You can count on them to enhance your home for many years. Because at JELD-WEN, we always make beauty reliable.

Introduction.....	3	Smooth-Pro Fiberglass Doors	
Door Overview		Smooth-Pro Fiberglass Door Designs.....	52-55
Architectural Fiberglass Doors.....	4	Smooth-Pro Fiberglass Doors wWith Decorative Glass.....	56-65
Design-Pro Fiberglass Doors.....	4	Cadence (CD).....	56
Smooth-Pro Fiberglass Doors.....	4	Compass (CSP).....	57
Fiberlast® Engineered Composite Doors.....	5	Prairie Bevel (PR).....	58
Steel Doors.....	5	Jacinto (JA).....	59
Choosing Your Door System.....	6	Elegant Star (TX).....	60
Architectural Fiberglass Doors		Heirlooms (HM).....	61
Architectural Fiberglass Door Designs.....	7-13	Bristol (BT).....	62
Craftsman Fiberglass Doors With Decorative Glass.....	9-12	Avant (AV).....	63
Scarlett (SL).....	9	Aragon (AG).....	64
Paris (PS).....	9	Fiberlast® Engineered Composite Doors	
Monterey (MO).....	9	Fiberlast Engineered Composite Door Designs.....	66-71
Oak Park (KP).....	9	Fiberlast Engineered Composite Doors With Decorative Glass.....	72-79
Madison (MI).....	10	Impressions (LI).....	72
Prairie Bevel (PR).....	10	Catalina (CA).....	73
Greenfield (GRF).....	10	Tripoli (TP).....	74
Bellflower (BLF).....	11	Delray (DRY).....	75
Topaz (TPZ).....	11	Entropy (EN).....	76
Clear Glass (CL).....	12	Casablanca (CSB).....	77
Simulated Divided Light (SDL).....	12	Greenfield (GRF).....	78
Rain Glass (RN).....	12	Bellflower (BLF).....	79
Double Glue Chip Glass (DGC).....	12	Steel Doors	
Micro-Granite Glass (MG).....	12	Steel Door Designs.....	80-83
Plank Fiberglass Door Designs.....	13	Steel Doors With Decorative Glass.....	84-90
Architectural Fiberglass Doors With Decorative Glass.....	14-21	Radiant Hues (RA).....	84
Linden (Ld).....	14	Madison (MI).....	85
Aragon (Ag).....	15	Mohave (MOH).....	86
Monticello (Mt).....	16	Monterey (MO).....	87
Providence (PC).....	17	Topaz (TPZ).....	88
Castile (CS).....	18	Majestic (ME).....	89
Bellview (BV).....	19	Cut Crystal (CC).....	90
Alvarado (AL).....	20	Simplicity (SM).....	90
Harrington (HR).....	21	Triple Glazed Blinds (BLD).....	91
Glass Options And Availability.....	22-25	Triple Glazed Blinds With Grilles (CGBGBLD).....	91
Design-Pro Fiberglass Doors		Blinds Between The Glass (RLB).....	91
Design-Pro Fiberglass Door Designs.....	26-31	Vents.....	91
Design-Pro Fiberglass Doors With Decorative Glass.....	32-51	Clear & Privacy Doorglass.....	92
Paris (PS).....	32-33	Colonial Style Grilles Between The Glass.....	93
Veranda (VR).....	34-35	Prairie Style, Top Down—Grilles Between Glass.....	94
Mediterranean (MD).....	36-37	Clear Glass & Grilles Between The Glass Transoms.....	95
Expressions (EX).....	38-39	Impact And Coastal Rated Doors.....	96-99
Legacy Master (LM).....	40-41	Prehung Door Specifications.....	100
Oak Park (KP).....	42-43	Appropriate Protection For Exterior Doors.....	101
Nouveau (MN).....	44-45	Warranty.....	102-103
Carrollton (CRL).....	46-47		
Trace (TRC).....	48-49		
Blinds, Tan (TRLB).....	50		
Clear Simulated Divided Lites (SDL).....	51		

# DEFINING CHOICES

## JELD-WEN Exterior Doors | Fiberglass | Engineered Composite | Steel

Whatever you need your front door to be, JELD-WEN can fulfill your requirements. We make the greatest range of reliable exterior doors to suit a variety of architectural styles, climates and budgets. JELD-WEN Fiberglass exterior doors are a low-maintenance choice with beautiful details and designs to increase curb appeal. They are designed to meet ENERGY STAR® requirements\*; and are reliable and worry-free. We also offer a full breadth of engineered composite and steel door designs.



CT-684MOH

SP-686EN

FK-659LI

DO-949LM

AM-828MT

*\*Energy performance ratings will vary with glass selection.*

*Variances in photography, printing and door sizes may cause the glass and panel appearance and finish color as well as the door layout shown to vary from actual product. Please contact your local dealer for more information.*

# DOOR OVERVIEW

## FIBERGLASS

The look of wood without the upkeep. Provides greater panel detailing.

### Architectural

- » It's all about the details – made to be architecturally authentic
- » Mahogany woodgrain designs with raised moulding and improved graining for a genuine wood appearance
- » Energy efficient core
- » Beautiful, unique glass inserts in a wide variety of styles
- » Available in 6'8" and 8'0" heights. Please check for availability



### Design-Pro

- » The look of wood with low-maintenance in mind
- » Energy efficient core
- » Composite capped edges for enhanced protection against harsh weather conditions
- » Wide selection of glass inserts
- » Available in 6'8" and 8'0" heights. Please check for availability



### Smooth-Pro

- » Smooth fiberglass for dent and weather resistant performance
- » Energy efficient core
- » Composite capped stiles and rails for enhanced protection against harsh weather conditions
- » Available in 6'8" and 8'0" heights. Please check for availability



Architectural Mahogany



Design-Pro Mahogany



Design-Pro Oak



Smooth-Pro

## ENGINEERED COMPOSITE

Engineered for durability, sustainability and affordability.

### FiberLast® Engineered Composite

- » Dent-resistant engineered composite skin made with commercial-grade resins
- » Remains stable under extreme hot and cold conditions
- » 35% recycled content\*
- » Available in 6'8", 7'0" and 8'0" heights. Please check for availability

\*Recycled content percentages refer to the door slab and do not include the door frame or components



Smooth



Oak



Mahogany



Fir

## STEEL

An economical, low-maintenance choice that provides strength and style.

### Contours™, Gladiator®, FiniShield

- » Designed for strength, durability and protection
- » Galvanized steel with baked on enamel primer for easier finishing
- » Energy efficient core
- » Optional steel edge construction for added durability and fire ratings up to 90-minutes (for true fire protection, doors must be used with a certified door frame, hardware and components)



Contours

# ARCHITECTURAL FIBERGLASS DOOR DESIGNS

These doors feature greater detailing for a more genuine wood appearance, and they're made to be architecturally authentic. | For example, flat-paneled Craftsman designs are ideal for homes with Mission, Prairie, Shaker and Craftsman architecture. Our charming plank door designs complement Old World home styles. And the distinctive look of our Mahogany woodgrain designs with raised moulding will enhance any home. Doors, sidelights and transoms are available with beautiful, unique glass designs to distinguish your home.

Only JELD-WEN® offers so many fiberglass door designs and options.




**Model numbers explained** | Each model number contains a reference to the door type, glass size and glass design. For example; AC stands for Architectural Craftsman, 816 for the Camber Top size, KP stands for Oak Park. This naming system has been applied to all of our doors and simplifies the order process.

**AC** Architectural Craftsman  
**816** Glass size  
**KP** Glass design

# CHOOSING YOUR DOOR SYSTEM

Beyond their clean design | JELD-WEN® exterior doors include many qualities that make them a beautiful choice. They're enduring. They're energy efficient. And they're perfectly low-maintenance. Options like decorative glass or blinds between the glass offer everyday beauty and convenience. Add sidelights or a transom to create your unique entry door system. Here are a few standard system configurations to choose from:



## 1 Choose Door Type

### Fiberglass

The look of wood without the upkeep. Provides greater panel detail for an improved appearance and won't warp, dent or rust.



### FiberLast® Engineered Composite

Engineered for durability, sustainability and affordability.




### Steel Doors

Economical, low-maintenance choice that provides strength and style.


## 2 Choose Door Panel Style

Personalize your home with a door that suits your home's architecture. Add sidelights or a transom for the entry of your dreams. Here are just a few options.



## 3 Choose Doorglass

Decorative doorglass will brighten your entryway without compromising privacy. Choose from any of the featured glass designs on the following pages. Please refer to the matrix on pages 24-25 for the complete list of glass options by door type.



# ARCHITECTURAL MAHOGANY WOODGRAIN

# ARCHITECTURAL CRAFTSMAN

**AM-826**  
Full View  
30" x 6'8"

**AM-828**  
3/4 View  
30" x 6'8"

**AM-30**  
3-Panel  
30" x 6'8"

**AM-949**  
3-Panel with 3/4 Oval  
30" x 6'8"

**AM-40**  
4-Panel Bottom Arch  
30" x 6'8"

**AM-60**  
6-Panel  
30" x 6'8"

**AM8-826**  
8'0" 3/4 View  
30" x 8'0"  
3'6" x 8'0"

**AM8-40**  
8'0" 4-Panel Bottom Arch  
30" x 8'0"  
3'6" x 8'0"

**AM8-560**  
Full View SL  
10" x 6'8"  
12" x 6'8"

**AM8-564**  
3/4 View SL  
10" x 6'8"  
12" x 6'8"

**AM8-563**  
1/2 View SL  
10" x 6'8"  
12" x 6'8"

**AM8-562**  
8'0" Full View SL  
10" x 8'0"  
12" x 8'0"

For decorative glass see pages 14-21  
Low-E Glass available

AM = Architectural Mahogany Woodgrain (Raised Moulding)  
All IELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your IELD-WEN dealer.

## Architectural Door Construction

- » 1-3/4" door
- » LVL (Laminated Veneer Lumber) top and bottom rails
- » 4" LVL stiles and edge band
- » Energy efficient core
- » 20-minute fire rating construction available\*

## Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use. \* For true fire protection, these doors must be used with certified frames and hardware.



- A. Raised moulding
- B. Energy efficient core
- C. Composite bottom rail
- D. LVL stiles
- E. Edge band



ENERGY STAR®  
Qualified designs available

## Scarlett (SL)

**AC-8165L**  
30" x 6'8"

**AC-8195L**  
10" x 6'8"  
12" x 6'8"

**AC-8145L**  
30" x 6'8"



Privacy Rating | 7



## Scarlett

- » Clear Soft Wave Glass
- » Ruby Red Soft Wave Glass
- » Olive Soft Wave Glass
- » Yellow Swirl Glass
- » Micro-Iced Granite Glass

## Paris (PS)

**AC-8166PS**  
30" x 6'8"

**AC-8196PS**  
10" x 6'8"  
12" x 6'8"

**AC-8146PS**  
30" x 6'8"



Privacy Rating | 4



## Paris

- » Clear Bevels
- » Arctic Glass
- » Clear Renaissance Glass

Rectangular | Patina | 507PS | 521PS  
See page 32 for transom sizes

## Monterey (MO)

**AC-816MO**  
30" x 6'8"

**AC-819MO**  
10" x 6'8"  
12" x 6'8"

**AC-814MO**  
30" x 6'8"



Privacy Rating | 7



## Monterey

- » Clear Bevels
- » Granite Glass
- » Micro-Granite Glass

Rectangular | Patina | 507MO  
See page 87 for transom sizes

## Oak Park (KP)

**AC-816KP**  
30" x 6'8"

**AC-819KP**  
10" x 6'8"  
12" x 6'8"

**AC-814KP**  
30" x 6'8"



Privacy Rating | 5



## Oak Park

- » Clear Bevels
- » Crinkle Glass
- » Thin Reed Glass
- » Seedy Glass

Rectangular | Patina | 507KP | 521KP  
See page 42 for transom sizes

ARCHITECTURAL CRAFTSMAN

ARCHITECTURAL CRAFTSMAN

Madison (MI)




**AC-816MI**  
30" x 6'8"

**AC-819MI**  
10" x 6'8"  
12" x 6'8"

**AC-814MI**  
30" x 6'8"



**Madison**  
» Micro-Cubed Glass



Prairie Bevel (PR)



**AC-816PR**  
30" x 6'8"

**AC-819PR**  
10" x 6'8"  
12" x 6'8"

**AC-814PR**  
30" x 6'8"



**Prairie Bevel**  
» Clear Bevels  
» Thin Reed Glass  
» Eaton Glass  
» Granite Glass



Bellflower (BLF)



**AC-814BLF**  
30" x 6'8"

**AC-819BLF**  
10" x 6'8"  
12" x 6'8"



**Bellflower**  
» Hammered Glass  
» Yellow Swirl Glass  
» Thin Reed Glass  
» Ruby Red & Olive Soft Wave Glass



Topaz (TPZ)



**AC-816TPZ**  
30" x 6'8"

**AC-819TPZ**  
10" x 6'8"  
12" x 6'8"

**AC-814TPZ**  
30" x 6'8"



**Topaz**  
» Micro-Granite Glass  
» Bronze Soft Wave Glass  
» Thin Reed Glass  
» Clear Bevels




Note: Craftsman doors shown with optional shelf.  
AC = Architectural Mahogany, Craftsman  
All JEID-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JEID-WEN Dealer.

Transoms



**Rectangular | Patina | 521BLF**  
(Fits above 3'-0" door w/ (2) 12" sidelights) —  
13-1/2" Frame height


Greenfield (GRF)




**AC-816GRF**  
30" x 6'8"

**AC-819GRF**  
10" x 6'8"  
12" x 6'8"

**AC-814GRF**  
30" x 6'8"



**Greenfield**  
» Thin Reed Glass  
» Small Hammered Glass  
» Pale Amber & Olive Soft Wave Glass



Transoms



**Rectangular | Patina | 521GRF**  
See page 76 for transom sizes


ARCHITECTURAL CRAFTSMAN

ARCHITECTURAL PLANK

Clear Glass



Simulated Divided Lights



Rain Glass



Double Glue Chip Glass



Micro-Granite Glass



AP-24  
3'0" x 6'8"



AP-14  
3'0" x 6'8"



AP8-24  
3'6" x 8'0"



Greater detail for the look of real wood

AP = Architectural Mahogany Plank  
AC = Architectural Mahogany Craftsman  
All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.




\*Models 815, 817 and 818 are simulated divided lites.

☑ = Low-E Glass only  
Note: Craftsman doors shown with optional shelf.

# ARCHITECTURAL LINDEN (LD)



## Architectural Mahogany



**AM-826LD**  
Full View SL  
30" x 6'8"

**AM-560LD**  
Full View SL  
12" x 6'8"

**AM-828LD**  
3/4 View  
30" x 6'8"  
Also available in  
30" x 8'0"

**AM-826LD**

**AM-564LD**  
3/4 View SL  
10" x 6'8"  
12" x 6'8"



## Linden

- » Clear Bevels
- » Red Crystals
- » Gray Soft Wave Glass
- » Micro-Granite Glass



## Transoms



Segment | **Satin Nickel | 532LD**  
13342" frame height

# ARCHITECTURAL ARAGON (AG)

## Architectural Mahogany



**AM-826AG**  
Full View  
30" x 6'8"

**AM-560AG**  
Full View SL  
10" x 6'8"  
12" x 6'8"

**AM-828AG**  
3/4 View  
30" x 6'8"  
Also available in  
30" x 8'0"


**AM-826AG**

**AM-564AG**  
3/4 View SL  
10" x 6'8"  
12" x 6'8"



## Aragon

- » Granite Glass
- » Micro-Granite Glass
- » Thin Reed Glass
- » Bronze Soft Wave Glass
- » Clear Bevels



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.




# ARCHITECTURAL MONTICELLO (MT)



## Monticello

» Arctic Glass

Privacy Rating | 9



## Transoms



**Half Round | Wrought Iron | 516MT**

(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



**Rectangular | Wrought Iron | 521MT**

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height


# ARCHITECTURAL MAHOGANY



**AM-826PC**

Full View

3'0" x 6'8"



**AM-560PC**

Full View SL

1'0" x 6'8"



**AM-563PC**

1/2 View SL

1'0" x 6'8"



**AM-528PC**

3/4 View

3'0" x 6'8"



**AM-826PC**

80" 3/4 View


3'0" x 6'0"



**AM-522PC**

80" Full View SL

1'0" x 6'0"



## Providence

» Clear Bevels


» Clear Jewels

» Granite Glass

» Dark Amber Soft Wave Glass

» Thin Reed Glass

Privacy Rating | 9



## Transoms



**Rectangular | Satin Nickel | 521PC**

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



# ARCHITECTURAL PROVIDENCE (PC)

# ARCHITECTURAL MAHOGANY



**AM-826MT**

Full View

3'0" x 6'8"



**AM-560MT**

Full View SL

1'0" x 6'8"



**AM-828MT**

3/4 View

3'0" x 6'8"



**AM-826MT**

80" 3/4 View

3'0" x 8'0"



**AM-562MT**


80" Full View SL

1'0" x 8'0"

ARCHITECTURAL CASTILE (CS)



- Castile**
- » Clear Bevels
  - » Brown Bevels
  - » Clear Jewels
  - » Iced Granite Glass
  - » Micro-Iced Granite Glass



**Half Round | Brass | 516CS**  
(fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



**Rectangular | Brass | 521CS**  
(fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Architectural Mahogany

<b>AM-826CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-560CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-560CS</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-828CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-564CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-564CS</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-949CS</b> 3-Panel with 3/4 Oval 3'0" x 6'8"	<b>AM-949CS</b> 3-Panel with 3/4 Oval 3'0" x 6'8"	<b>AM-949CS</b> 3-Panel with 3/4 Oval 3'0" x 6'8"
<b>AM-826CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-826CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-826CS</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-828CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-828CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-828CS</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-826CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-826CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-826CS</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-828CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-828CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-828CS</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-826CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-826CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-826CS</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-828CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-828CS</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-828CS</b> Full View SL 110" x 69" 12" x 6'8"

ARCHITECTURAL BELLVIEW (BV)

Architectural Mahogany

<b>AM-826BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-560BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-560BV</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-828BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-564BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-564BV</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-949BV</b> 3-Panel with 3/4 Oval 3'0" x 6'8"	<b>AM-949BV</b> 3-Panel with 3/4 Oval 3'0" x 6'8"	<b>AM-949BV</b> 3-Panel with 3/4 Oval 3'0" x 6'8"
<b>AM-826BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-826BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-826BV</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-828BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-828BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-828BV</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-826BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-826BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-826BV</b> Full View SL 110" x 69" 12" x 6'8"
<b>AM-828BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-828BV</b> Full View SL 110" x 69" 12" x 6'8"	<b>AM-828BV</b> Full View SL 110" x 69" 12" x 6'8"



**Bellview**

- » Clear Bevels
  - » Granite Glass
  - » Hammered Glass
- Privacy Rating | 7
- 




**Half Round | Patina | 516BV**  
(fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



# ARCHITECTURAL ALVARADO (AL)



- Alvarado**
- » Clear Bevels
  - » Clear Jewels
  - » Granite Glass
  - » Chinchilla Glass
  - » Micro-Granite Glass



### Transoms



# ARCHITECTURAL HARRINGTON (HR)

## Architectural Mahogany



**AM-826HR**  
Full View  
30" x 68"

**AM-560R-HR**  
3/4 View SL  
12" x 68"

**AM-828HR**  
3/4 View SL  
30" x 68"

**AM-564R-HR**  
View SL  
12" x 68"

**AM-909HR**  
3/4 View SL  
30" x 68"

**AM-563R-HR**  
View SL  
12" x 68"

**AM-826HR**  
3/4 View  
30" x 68"

**AM-562R-HR**  
Full View SL  
12" x 80"



### Transoms



**AM-828AL**  
3/4 View  
30" x 68"

**AM-562AL**  
80" Full View SL  
12" x 80"

## Architectural Mahogany



**AM-826AL**  
Full View  
30" x 68"

**AM-828AL**  
3/4 View  
30" x 68"

**AM-560AL**  
Full View SL  
12" x 68"

**AM-564AL**  
3/4 View SL  
12" x 68"



When ordering Harrington sidelights, specify right or left side. The right side is shown above.


All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.



## GLASS OPTIONS EXPLAINED

**Handcrafted decorative door glass adds beauty and mystique to your door.** | Our enduring designs serve as a focal point for your home, a reflection of your personal style, and a bridge between you and the world outside. These beautiful glass designs are sure to meet any architectural or design need.

The glass options shown on pages 32-94 are interchangeable and can be inserted into either **Design-Pro Oak**, **Design-Pro Mahogany**, and **Smooth-Pro** fiberglass doors depending upon the door style selected. The same glass options may also be available with our **FiberLast® Engineered Composite** or our **Steel** doors. Please refer to the availability matrix on pages 24-25.



**Model numbers explained** | Each model number contains a reference to the door type, glass size and glass design. For example, DO stands for Design-Pro Oak, 684 for the half view size and TPZ stands for Topaz. This naming system has been applied to all of our doors and simplifies the order process.

DO Design-Pro Oak  
684 Glass size  
TPZ Glass design



# GLASS OPTIONS

The chart below is designed to give you a quick overview of our door and glass offering for our Smooth Pro, Design Pro, FiberLast® Engineered Composite and Steel doors. Please refer to the specifications pages on our website at [www.jeld-wen.com](http://www.jeld-wen.com) for our complete door offering, or to the glass pages below for more information on the door and glass availability.

Door Style	Full View		Full View 80"		Full Oval		3/4 View 2-Panel		3/4 View 1-Panel		3/4 Oval		1/2 View 2-Panel		1/2 View 1-Panel		1/2 View Round Top		Sunburst		Camber Top		Twin 1/2 Lite		Twin 3/4 Lite		Center Arch		9-Panel		Craftsman		Slim Oval (Steel only)				
	SP	DO	DM	SP	DO	DM	SP	DO	DM	SP	DO	DM	SP	DO	DM	SP	DO	DM	SP	DO	FL	FK	FL	FK	FL	FK	FL	FK	FL	FK	FL	FK	FL	FK			
<b>Glass Opening</b>	686		612		919		607A		607		949		684		684		637		659		648		692		422		632		640		814		969				
<b>Door Brand</b>																																					
<b>PG#</b>																																					
<b>Glass Family</b>																																					
Aragon	✓																																				
Argent	✓		✓																																		
Bellflower	✓																																				
Bristol	✓																																				
Cadence	✓				✓																																
Carrollton	✓																																				
Casablanca	✓				✓																																
Catalina	✓																																				
Compass	✓																																				
Cur Crystal	✓																																				
Delray	✓																																				
Elegant Star	✓																																				
Entropy	✓																																				
Expressions	✓																																				
Greenfield	✓																																				
Heirboms	✓																																				
Impressions	✓																																				
Jacinto	✓																																				
Legacy Master	✓																																				
Madison	✓																																				
Majestic	✓																																				
Mediterranean	✓																																				
Mohare	✓																																				
Monterey	✓																																				
Nouveau	✓																																				
Oak Park	✓																																				
Paris	✓																																				
Prairie Bevel	✓																																				
Radiant Hues	✓																																				
Scarlett	✓																																				
Simplicity	✓																																				
Topaz	✓																																				
Trace	✓																																				
Tripoli	✓																																				
Veranda	✓																																				
BIPRO Between Glass	50_91																																				
Grilles Between Glass	93-94																																				
Vents	91																																				


## DESIGN-PRO FIBERGLASS DOOR DESIGNS

Each Design-Pro door is created to look like wood and is built with strength, stability and reliability in mind. In fact, these doors are made to stay attractive longer, with less maintenance in any climate. We've created many versatile designs in Mahogany and Oak woodgrain. Our doors coordinate with a full range of decorative glass types and sidelights. Check with your local dealer for glass, door design and size availability.

Each Design-Pro door is backed by a limited lifetime warranty; review it at [www.jeld-wen.com](http://www.jeld-wen.com).



DM-20



DO-684TRC



DM-607CRL




# DESIGN-PRO FIBERGLASS MAHOGANY WOODGRAIN



**Design-Pro Door Construction**


- A. Energy efficient core
- B. Profiled composite edge
- C. Composite bottom rail
- D. LVL (Laminated Veneer Lumber) stiles




- » 1-3/4" Door
- » LVL stiles and rails
- » All stiles and rails composite capped
- » Energy efficient core
- » Lock block
- » 20-minute fire rating construction available\*

### Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.\* For true fire protection, these doors must be used with certified frames and hardware.



See specifications for dimensions at [www.jeld-wen.com](http://www.jeld-wen.com)



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

# DESIGN-PRO FIBERGLASS OAK WOODGRAIN



**DO-100**  
Flush  
4-Panel  
30" x 68"  
210" x 68"  
30" x 68"



**DO-919**  
Full Oval  
3-Panel  
30" x 68"  
210" x 68"  
30" x 68"



**DO-686**  
Full View  
3-Panel  
30" x 68"  
210" x 68"  
30" x 68"



**DO-30**  
3-Panel  
30" x 68"  
210" x 68"



**DO-949**  
3/4 Oval  
3-Panel  
30" x 68"  
210" x 68"



**DOA-607**  
3/4 View  
3-Panel  
30" x 68"  
210" x 68"

Shown with 2-1/2" lock rail and reduced top rail of 4-1/8"



**DO-60**  
6-Panel  
30" x 68"  
210" x 68"  
30" x 68"



**DO-684**  
1/2 View  
3-Panel  
30" x 68"  
210" x 68"



**DO-80**  
8-Panel  
30" x 68"  
210" x 68"




**DO-632**  
Center Arch Glass  
3-Panel  
30" x 68"  
210" x 68"




**DO-40**  
4-Panel  
30" x 68"  
210" x 68"



**DO-692**  
Twin 1/2 View  
3-Panel  
30" x 68"  
210" x 68"



**DO-408T**  
4-Panel Blank Top  
3-Panel  
30" x 68"  
210" x 68"



**DO-659**  
Sunburst  
3-Panel  
30" x 68"  
210" x 68"



**DO-648**  
Camber Top  
3-Panel  
30" x 68"  
210" x 68"



**DO-637**  
1/2 View Round Top  
3-Panel  
30" x 68"  
210" x 68"



**DO-100**  
8-Panel Flush  
3-Panel  
30" x 68"  
210" x 68"



**DO-612**  
8-Panel Full View  
3-Panel  
30" x 68"  
210" x 68"



**DO-60**  
8-Panel 6-Panel  
3-Panel  
30" x 68"  
210" x 68"



**DO-607**  
8-Panel 1/2 View  
3-Panel  
30" x 68"  
210" x 68"



**DO-690/694 DOA-422**  
Full View SL  
10-Panel  
10" x 68"  
10" x 68"  
12" x 68"




**DO-692**  
1/2 View SL  
10-Panel  
10" x 68"  
10" x 68"  
12" x 68"



**DO-493**  
8-Panel Full View SL  
10-Panel  
10" x 68"  
10" x 68"  
12" x 68"

DESIGN-PRO FIBERGLASS PARIS (PS)

Design-Pro Mahogany



**DM-493PS**  
80" Full View  
30" x 80"  
12" x 80"

**DM-612PS**  
80" Full View  
30" x 80"

**DM-692PS**  
1/2 View SL  
12" x 68"

**DM-684PS**  
1/2 View  
30" x 68"

**DM-422PS**  
3/4 View SL  
12" x 68"

**DM-607PS**  
3/4 View  
30" x 68"

**DM-690PS**  
Full View SL  
10" x 68"

**DM-686PS**  
Full View  
30" x 68"

Design-Pro Oak



**DO-493PS**  
80" Full View SL  
30" x 80"  
12" x 80"

**DO-612PS**  
80" Full View  
30" x 80"

**DO-692PS**  
1/2 View SL  
12" x 68"

**DO-684PS**  
1/2 View  
30" x 68"

**DOA-422PS**  
3/4 View SL  
12" x 68"

**DOA-607PS**  
3/4 View  
30" x 68"

**DO-690/694PS**  
Full View SL  
10" x 68"

**DO-686PS**  
Full View  
30" x 68"

**DO-672PS**  
26" x 68"



Transoms



**Rectangular | Patina | 507PS**

(fits above 3'-0" door w/ (2) 1/4" sideights) —  
15-1/2" frame height

**Rectangular | Patina | 521PS**

(fits above 3'-0" door w/ (2) 1/2" sideights) —  
13-1/2" frame height



Paris

- » Clear Bevels
- » Arctic Glass
- » Clear Renaissance Glass

Privacy Rating | 4



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

RELIABILITY for real life®




DESIGN-PRO FIBERGLASS VERANDA (VR)



**Veranda**

- » External Wrought Iron Grille
- » Low-E Micro-Granite Glass




**Rust-resistant Finish**



**Hidden Latch**




**Decorative Screw Hole Plugs**



Easy to open and clean

**Design-Pro Mahogany**




**DM-686VR**  
Full View  
30" x 6'8"



**DM-690VR**  
Full View SL  
12" x 6'8"  
12" x 6'8"



**DM-607VR**  
3/4 View  
30" x 6'8"




**DMB-612VR**  
80% Full View  
30" x 8'0"



**DMB-493VR**  
80% Full View SL  
10" x 8'0"  
12" x 8'0"

**Design-Pro Oak**




**DO-686VR**  
Full View  
2'8" x 6'8"  
2'10" x 6'8"  
30" x 6'8"



**DO-690VR**  
Full View SL  
10" x 6'8"  
12" x 6'8"



**DOA-607VR**  
3/4 View  
30" x 6'8"



**DOB-612VR**  
80% Full View  
30" x 8'0"



**DOB-493VR**  
80% Full View SL  
10" x 8'0"  
12" x 8'0"

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

RELIABILITY for real life®




DESIGN-PRO FIBERGLASS MEDITERRANEAN (MD)



**Mediterranean**

- » Wrought Iron Between Glass
- » Arctic Glass



**Design-Pro Mahogany**



**DM-686MD**  
Full View  
30" x 68"

**DM-690MD**  
Full View, SL  
10" x 68"  
12" x 68"



**DM-607MD**  
3/4 View  
30" x 68"

**DM-422MD**  
3/4 View, SL  
10" x 68"  
12" x 68"



**DM8-612MD**  
80% Full View  
30" x 80"

**DM8-493MD**  
80% Full View, SL  
10" x 80"  
12" x 80"

**Design-Pro Oak**



**DO-686MD**  
Full View  
28" x 68"  
210" x 68"  
30" x 68"

**DO-690/694MD**  
Full View, SL  
10" x 68"  
12" x 68"



**DOA-607MD**  
3/4 View  
30" x 68"

**DOA-422MD**  
3/4 View, SL  
10" x 68"  
12" x 68"



**DO8-612MD**  
80% Full View  
30" x 80"

**DO8-493MD**  
80% Full View, SL  
10" x 80"  
12" x 80"



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FibertLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

# DESIGN-PRO FIBERGLASS EXPRESSIONS (EX)

## Design-Pro Mahogany

	<b>DM-686EX</b> Full View 28" x 68" 30" x 68"		<b>DM-690EX</b> Full View SL 10" x 68" 12" x 68"		<b>DM-919EX</b> Full Oval 30" x 68"		<b>DM-607EX</b> 3/4 View 30" x 68"		<b>DM-422EX</b> 3/4 View SL 10" x 68" 12" x 68"		<b>DM-684EX</b> 1/2 View 30" x 68"		<b>DM-592EX</b> 1/2 View SL 10" x 68" 12" x 68"		<b>DM-672EX</b> 80% Full View 30" x 80"		<b>DMB-493EX</b> 80% Full View SL 12" x 80"
--	--	--	---	--	---	--	--	--	--	--	--	--	--	--	---	--	---

## Design-Pro Oak

	<b>DO-686EX</b> Full View 28" x 68" 30" x 68"		<b>DO-690/694EX</b> Full View SL 10" x 68" 12" x 68"		<b>DO-919EX</b> Full Oval 30" x 68"		<b>DOA-422EX</b> 3/4 View SL 10" x 68" 12" x 68"		<b>DO-607EX</b> 3/4 View 30" x 68"		<b>DO-684EX</b> 1/2 View 28" x 68" 30" x 68"		<b>DO-692EX</b> 1/2 View SL 10" x 68" 12" x 68"		<b>DO-692EX</b> Twin 1/2 View 30" x 68"
--	--	--	---	--	---	--	---	--	--	--	---	--	--	--	---



## Transoms




**Half Round | Brass or Satin Nickel | 516EX**  
(fits above 3'-0" door w/ (2) 14" sidelights) —  
35" frame height

**Rectangular | Brass or Satin Nickel | 521EX**  
(fits above 3'-0" door w/ (2) 12" sidelights) —  
13 1/2" frame height

## Expressions

- » Clear Bevels
- » Granite Glass
- » Gray Renaissance Glass



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.


Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

DESIGN-PRO FIBERGLASS LEGACY MASTER (LM)




Legacy Master

- » Clear Bevel Clusters
- » Gray & Clear Renaissance Glass




Design-Pro Mahogany



**DM-686LM** Full View 30" x 68"  
**DM-690LM** Full View SL 10" x 68" 12" x 68"  
**DM-607LM** 3/4 View 30" x 68"  
**DM-422LM** 3/4 View SL 10" x 68" 12" x 68"  
**DM-684LM** 1/2 View 30" x 68"  
**DM-692LM** 1/2 View SL 10" x 68" 12" x 68"  
**DMB-612LM** 80" Full View 30" x 80"  
**DMB-491LM** 80" Full View SL 10" x 80" 12" x 80"

Design-Pro Oak




**DO-686LM** Full View 28" x 68" 210" x 68" 30" x 68"  
**DO-690/694LM** Full View SL 10" x 68" 12" x 68"  
**DO-949LM** 3/4 Oval 30" x 68"  
**DOA-607LM** 3/4 View 30" x 68"  
**DOA-422LM** 3/4 View SL 10" x 68" 12" x 68"  
**DO-692LM** Twin 1/2 View 30" x 68"



**DO-684LM** Twin 1/2 View 10" x 68" 210" x 68" 30" x 68"  
**DO-692LM** 1/2 View SL 10" x 68" 12" x 68"  
**DOB-612LM** 80" Full View 30" x 80"  
**DOB-491LM** 80" Full View SL 10" x 80" 12" x 80"

Transoms



**Rectangular | Patina | 506LM** (Fits above 3'-0" door w/ (2) 12" sidelights) — 15'-12" frame height  
**Rectangular | Patina | 507LM** (Fits above 3'-0" door w/ (2) 14" sidelights) — 15'-12" frame height  
**Rectangular | Patina | 521LM** (Fits above 3'-0" door w/ (2) 12" sidelights) — 13'-12" frame height


**Rectangular | Patina Only | 517LM** (Fits above 3'-0" door) — 13'-12" frame height

All JELD-WEN doors and sidelights supplied unfinished. For finished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, Fiberglass\* Engineered Composite and Steel Doors. See pages 24-25 for availability.

# DESIGN-PRO FIBERGLASS OAK PARK (KP)

## Design-Pro Mahogany



**DM-686KP**  
Full View  
30" x 6'8"

**DM-690KP**  
Full View SL  
10" x 6'8"

**DM-607KP**  
3/4 View  
30" x 6'8"

**DM-422KP**  
3/4 View SL  
10" x 6'8"

**DM-684KP**  
1/2 View  
30" x 6'8"

**DM-692KP**  
1/2 View SL  
10" x 6'8"

## Design-Pro Oak



**DO-607KP**  
3/4 View  
30" x 6'8"

**DO-422KP**  
3/4 View SL  
10" x 6'8"

**DO-686KP**  
Full View  
30" x 6'8"

**DO-690/694KP**  
Full View SL  
10" x 6'8"

**DO-684KP**  
1/2 View  
30" x 6'8"

**DO-692KP**  
1/2 View SL  
10" x 6'8"

**DO-692KP**  
Twin 1/2 View  
30" x 6'8"



### Transoms



**Rectangular | Patina | 507KP**

fits above 3'-0" door w/(2) 14" sidelights —  
15'-0" frame height

**Rectangular | Patina | 521KP**

fits above 3'-0" door w/(2) 12" sidelights —  
13'-0" frame height



Patina



**Oak Park**

- » Clear Bevels
- » Crinkle Glass
- » Thin Reed Glass
- » Seedy Glass

Privacy Rating | 5



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.


Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

DESIGN-PRO FIBERGLASS NOUVEAU (MN)



**Nouveau**

- » Clear Bevel Clusters
- » Glue Chip Glass
- » Clear Bevels



**Transoms**




**Rectangular | Nickel, Patina or Brass | 507MN**  
 (Fits above 3'-0" door w/ (2) 14" sidelights) —  
 15-1/2" frame height

**Rectangular | Nickel, Patina or Brass | 521MN**  
 (Fits above 3'-0" door w/ (2) 12" sidelights) —  
 13-1/2" frame height



**Elliptical | Nickel, Patina or Brass | 578MN**  
 (Fits above 3'-0" door w/ (2) 12" sidelights) —  
 13-1/2" frame height

**Design-Pro Mahogany**



**DM-686MN**  
 1/2 View SL  
 30" x 6'8"

**DM-690MN**  
 1/2 View SL  
 10" x 6'8"

**DM-680MN**  
 1/2 View SL  
 10" x 6'8"


**DM-607MN**  
 1/2 View SL  
 30" x 6'8"

**DM-423MN**  
 1/2 View SL  
 10" x 6'8"

**DM-684MN**  
 1/2 View SL  
 30" x 6'8"

**DM-692MN**  
 1/2 View SL  
 10" x 6'8"

**Design-Pro Oak**



**DO-686MN**  
 Full View  
 28" x 6'8"

**DO-690/694MN**  
 Full View SL  
 1'0" x 6'8"

**DO-690/694MN**  
 Full View SL  
 1'0" x 6'8"

**DO-686MN**  
 Full View  
 28" x 6'8"

**DO-690/694MN**  
 Full View SL  
 1'0" x 6'8"

**DO-686MN**  
 Full View  
 28" x 6'8"

**DO-690/694MN**  
 Full View SL  
 1'0" x 6'8"

**DO-686MN**  
 Full View  
 28" x 6'8"

**DO-690/694MN**  
 Full View SL  
 1'0" x 6'8"

**DO-686MN**  
 Full View  
 28" x 6'8"

**DO-690/694MN**  
 Full View SL  
 1'0" x 6'8"

**DO-686MN**  
 Full View  
 28" x 6'8"


**DO-690/694MN**  
 Full View SL  
 1'0" x 6'8"

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.


Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

DESIGN-PRO FIBERGLASS CARROLLTON (CRL)

Design-Pro Mahogany



Design-Pro Oak



Patina  
**NEW**



**Carrollton**

- » Clear Soft Wave Glass
- » Double Glue Chip Glass
- » Clear Bevel Clusters

Privacy Rating | 7




All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberCast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

DESIGN-PRO FIBERGLASS TRACE (TRC)



Design-Pro Mahogany



**DM-686TRC**  
Full View  
30" x 6'8"


**DM-690TRC**  
Full View, SL  
10" x 6'8"

**DM-919TRC**  
Full Oval  
30" x 6'8"

**DM-684TRC**  
1/2 View  
30" x 6'8"

**DM-692TRC**  
1/2 View, SL  
10" x 6'8"

Design-Pro Oak



**DO-686TRC**  
Full View  
2'8" x 6'8"

**DO-690/694TRC**  
Full View, SL  
1'0" x 6'8"

**DO-919TRC**  
Full Oval  
3'0" x 6'8"

**DO-945TRC**  
3/4 Oval  
3'0" x 6'8"

**DO-684TRC**  
1/2 View  
2'8" x 6'8"



**Trace**

- » Light Gray Silkscreen
- » Clear Glass

Privacy Rating | 8



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.



DESIGN-PRO FIBERGLASS

DOORGLASS BLINDS (TRLB)

DESIGN-PRO FIBERGLASS


CLEAR SIMULATED DIVIDED LITES (SDL)



**Doorglass Blinds**

- » Raise, Lower and Tilt
- » No dusting. Blinds are sealed between tempered safety glass.
- » LightTouch® control raises and lowers the blind
- » Fingertip tilt control
- » Blinds available in White or Tan color

Privacy Rating | 1 / 5 / 10



Available in Low-E glass

Design-Pro Mahogany




**DM-686TRLB**  
Full View  
30" x 6'8"



**DM-684TRLB**  
3/4 View  
30" x 6'8"

Design-Pro Mahogany



**DM-479SDL**  
Full View  
10" x 6'8"  
12" x 6'8"




**DM-606SDL**  
3/4 View 4-Lite  
30" x 6'8"



**DM-406SDL**  
3/4 View  
2-Lite SL  
10" x 6'8"  
12" x 6'8"



**DM-646SDL**  
3/4 View 6-Lite  
30" x 6'8"



**DM-446SDL**  
3/4 View  
3-Lite SL  
10" x 6'8"  
12" x 6'8"

Design-Pro Oak



**DO-686TRLB**  
Full View  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"



**DO-684TRLB**  
1/2 View  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"

Design-Pro Oak



**DO-679SDL**  
Full View  
28" x 6'8"  
210" x 6'8"  
30" x 6'8"



**DO-479/406SDL**  
Full View  
4-Lite SL  
10" x 6'8"  
12" x 6'8"



**DO-606SDL**  
3/4 View  
30" x 6'8"



**DO-406SDL**  
3/4 View  
2-Lite SL  
10" x 6'8"  
12" x 6'8"



**DO-646SDL**  
3/4 View  
30" x 6'8"



**DO-446SDL**  
3/4 View  
3-Lite SL  
10" x 6'8"  
12" x 6'8"

**Simulated Divided Lites**

- » Traditional Style 1-1/8" grille
- » Low-E Glass

Privacy Rating | 1



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

RELIABILITY for real life®


## SMOOTH-PRO FIBERGLASS DOOR DESIGNS

Each Smooth-Pro door is made to be durable, energy efficient and affordable. | The smooth surface can be painted any color, and designs can be enhanced with various glass types. Check with your local dealer for glass, door design and size availability.

Each Smooth-Pro door is backed by a limited lifetime warranty; review it at [www.jeld-wen.com](http://www.jeld-wen.com).



# SMOOTH-PRO FIBERGLASS

	<b>SP-100</b> Flush 28" x 68" 30" x 68" 30" x 68"		<b>SP-919</b> Full Oval 28" x 68" 30" x 68" 30" x 68"		<b>SP-686</b> Full View 28" x 68" 30" x 68" 30" x 68"		<b>SP-636</b> Full View Round Top 28" x 68" 30" x 68" 30" x 68"		<b>SP-607</b> 1-Panel 3/4 View 30" x 68"		<b>SP-30</b> 3-Panel 3/4 View 30" x 68"		<b>SP-949</b> 3/4 Oval 30" x 68"		<b>SP-690/694</b> Full View SL 10" x 68" 12" x 68" 12" x 68"		<b>SP-422</b> 3/4 View SL 10" x 68" 12" x 68" 12" x 68"		<b>SP-493</b> 1/2 View SL 10" x 68" 12" x 68" 12" x 68"		<b>SP-692</b> 80" Full View SL 10" x 68" 12" x 68" 12" x 68"		<b>SP-607</b> 80" 1/2 View 30" x 80"
---	---	---	---	---	---	---	---	---	--	---	---	---	--	--	--	---	---	---	---	---	--	---	--

**SP-692** Twin 1/2 View  
28" x 68"  
30" x 68"  
30" x 68"

**SP-408T** 4-Panel Blank Top  
30" x 68"

**SP-607** 2-Panel 3/4 View  
30" x 68"  
Shown with 2 1/2" lock rail and reduced top rail of 4 1/8"

**SP-637** Center Arch  
30" x 68"


**SP-80** 8-Panel  
30" x 68"

**SP-400** 2 1/2" x 68"

\*10" sidelights accommodate 7" glass inserts only

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

## Smooth-Pro Door Construction



- A. Energy efficient core
- B. Composite bottom rail
- C. LVL stiles
- D. Profiled composite edge



- » 1-3/4" Door
- » LVL (Laminated Veneer Lumber) stiles and rails
- » All stiles and rails composite capped
- » Energy efficient core
- » Lock block
- » 20-minute fire rating construction available\*

### Fire-Rated Doors

Our fire-rated fiberglass doors are made to meet or exceed local fire rating building codes for both residential and light commercial use.\*

\*For true fire protection, these doors must be used with certified frames and hardware.



SMOOTH-PRO FIBERGLASS CADENCE (CD)

SMOOTH-PRO FIBERGLASS COMPASS (CPS)



**Cadence**

- » Clear Bevel Clusters
- » Hammered Glass
- » Ripple Glass

Privacy Rating | 5




**Transoms**




**Half Round | Patina | 5'6CD**


(Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height




**SP-919CD**  
3/4 Oval  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**SP-949CD**  
3/4 Oval  
3'0" x 6'8"



**SP-686CD**  
Full View  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**SP-607CD**  
3/4 View  
3'0" x 6'8"  
Also available as 2-Panel  
SPA-607 door with SPA-422 sidelight




**SP-612CD**  
80" Full View  
3'0" x 8'0"

**SP-493CD**  
80" Full View SL  
1'0" x 8'0"  
1'2" x 8'0"



**SP-684CPS**  
1/2 View  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**SP-692CPS**  
1/2 View SL  
10" x 6'8"  
12" x 6'8"



**Name**

- » Alabaster Glass
- » Clear Bevels
- » Hammered Glass
- » Micro-Iced Granite Glass

Privacy Rating | 7



**Transoms**



**Rectangular | Nickel | 5'21CPS**  
(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.  
Glass designs are also available with Smooth+Pro, Fibred, and Engineered Composite and Steel Doors. See pages 24-25 for availability.








**Elegant Star**  
 » Glue Chip Glass  
 » Granite Glass  
 » Clear Bevels



**Rectangular | Patina or Nickel or Wrought Iron | 506TX**  
 (Fits above 3'-0" door w/ (2) 12" sidelights) —  
 15-1/2" frame height



**SP-686TX\***  
 Full View  
 28" x 68"  
 30" x 68"



**SP-607TX\***  
 3/4 View  
 30" x 68"  
 Also available in a 2-Panel SPA-427TX sidelight



**SP-684TX\***  
 1/2 View  
 28" x 68"  
 30" x 68"



**SP-692TX\***  
 1/2 View SL  
 10" x 68"  
 12" x 68"

\*Also Available with Wrought Iron between Micro-Granite and Clear Glass



**Elegant Star**  
 Privacy Rating | 9



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer. Glass designs are also available with Smooth-Pro, FibertLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.



**SP-919HM**  
 Full Oval  
 28" x 68"  
 30" x 68"



**SP-686HM**  
 Full View  
 28" x 68"  
 30" x 68"



**SP-690/694HM**  
 Full View SL  
 10" x 68"  
 12" x 68"



**SP-636HM**  
 Round Top  
 28" x 68"  
 30" x 68"



**SP-659HM**  
 Sunburst  
 30" x 68"



**Brass**  
**Satin Nickel**  
**Heirlooms**  
 » Clear Bevel Clusters  
 » Glue Chip Glass  
 » Granite Glass



Transoms



**Rectangular | Brass or Satin Nickel | 506HM**  
 (Fits above 3'-0" door w/ (2) 12" sidelights) —  
 15-1/2" frame height



**Rectangular | Brass or Satin Nickel | 507HM**  
 (Fits above 3'-0" door w/ (2) 14" sidelights) —  
 15-1/2" frame height



**Rectangular | Brass or Satin Nickel | 521HM**  
 (Fits above 3'-0" door w/ (2) 12" sidelights) —  
 13-1/2" frame height



**Elliptical | Brass or Satin Nickel | 503HM**  
 (Fits above 3'-0" door w/ (2) 14" sidelights) —  
 15-1/2" frame height



**Elliptical | Brass or Satin Nickel | 578HM**  
 (Fits above 3'-0" door w/ (2) 12" sidelights) —  
 13-1/2" frame height



**Segment | Brass or Satin Nickel | 532HM**  
 (Fits above 3'-0" door w/ (2) 12" sidelights) —  
 15-1/2" frame height



**Rectangular | Satin Nickel Only | 517HM**  
 (Fits above 3'-0" Door) — 13-1/2" frame height



**SP-684HM**  
 1/2 View  
 28" x 68"  
 30" x 68"



**SP-672HM**  
 28" x 68"



**SP-607HM**  
 3/4 View  
 30" x 68"  
 Also available in a 2-Panel SPA-607HM door with SPA-427HM sidelight



**SP-692HM**  
 1/2 View SL  
 10" x 68"  
 12" x 68"



**SP-622HM**  
 1/2 View  
 28" x 68"  
 30" x 68"



**SP-684HM**  
 1/2 View  
 28" x 68"  
 30" x 68"



**SP-692HM**  
 1/2 View SL  
 10" x 68"  
 12" x 68"

SMOOTH-PRO FIBERGLASS BRISTOL (BT)

SMOOTH-PRO FIBERGLASS AVANT (AV)



**Bristol**

- » Clear Bevels
- » Clear Bevel Clusters
- » Granite Glass
- » Hammered Glass

Privacy Rating | 7



**Transoms**



**Rectangular | Satin Nickel | 506BT**  
 (Fits above 3'-0" door w/ (2) 12" sidelights) —  
 15-1/2" frame height



**SP-607BT**  
 3/4 View  
 30" x 68"  
 28" x 68"  
 SPA-607BT door with  
 SPA-422BT sidelight



**SP-690/694BT**  
 Full View SL  
 10" x 68"  
 12" x 68"

**SP-686BT**  
 Full View  
 28" x 68"  
 210" x 68"  
 30" x 68"  
**SP-687BT**  
 26" x 68"




**SP-692BT**  
 Twin 1/2 View  
 10" x 68"  
 28" x 68"  
 210" x 68"  
 30" x 68"




**SP-649BT**  
 3/4 Oval  
 30" x 68"



**SPA-607AV**  
 3/4 View  
 30" x 68"




**SP-692AV**  
 1/2 View SL  
 10" x 68"  
 12" x 68"




**SP-684AV**  
 1/2 View  
 28" x 68"  
 210" x 68"  
 30" x 68"




**SPA-422AV**  
 3/4 View SL  
 10" x 68"  
 12" x 68"



**SP-607AV**  
 3/4 View  
 30" x 68"



**SP-686AV**  
 Full View  
 28" x 68"  
 210" x 68"  
 30" x 68"



**SP-690/694AV**  
 Full View SL  
 10" x 68"  
 12" x 68"



**Avant**

- » Clear Bevel Clusters
- » Eaton Glass
- » Granite Glass

Privacy Rating | 6



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro Fiberglass® Engineered Composite and Steel Doors. See pages 24-25 for availability.

# SMOOTH-PRO FIBERGLASS ARAGON (AG)



Oil-Rubbed Bronze


## Aragon

- » Granite Glass
- » Micro-Granite Glass
- » Thin Reed Glass
- » Bronze Soft Wave Glass
- » Clear Bevels

Privacy Rating | 7



**SP-607AG**  
3/4 View  
3'0" x 6'8"



**SP-690/694AG**  
Full View SL  
1'4" x 6'8"  
1'2" x 6'8"



**SP-686AG**  
Full View  
1'6" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**SPA-422AG**  
3/4 View SL  
1'0" x 6'8"  
1'2" x 6'8"



**SPA-607AG**  
2 1/2 View 2/4 View  
3'0" x 6'8"

Shown with 2 1/2" lock rail and reduced top rail of 4 1/8"

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.  
Glass design also available with Fiberglass® Engineered Composite, Design-Pro and Steel Doors. See pages 24-25 for availability

# FIBERLAST™ ENGINEERED COMPOSITE

## Engineered for Durability Sustainability and Affordability

### Durable

- » Dent-resistant engineered composite skin made with commercial-grade resins
- » Remains stable under extreme hot and cold conditions
- » Weather-tight edges resist swelling and decay because they're made with Auralast® Wood. Unlike typical, dip-treated wood, Auralast Wood components are protected from the surface to the core and aren't compromised by sanding or cutting. Only JELD-WEN has Auralast Wood.

### Sustainable


- » ENERGY STAR® qualified designs
- » 35% recycled content, certified by SCS\*
- » 96% fewer VOCs during manufacturing of Auralast Wood components. Auralast Wood is protected using a proprietary water-based solution, not harmful solvents.

### Affordable

- » More affordable than fiberglass and traditional wood doors

# FIBERLAST® ENGINEERED COMPOSITE DOORS

## STRENGTH & STABILITY INSIDE AND OUT



\* Recycled wood fiber is pre-consumer. Note recycled content percentages refer to the door slab and do not include the door frame and/or frame components.

# FIBERLAST® ENGINEERED COMPOSITE

# FIBERLAST® ENGINEERED COMPOSITE

## GRAINED OAK (FK)

### GRAINED FIR (FF)



Shaker Non-Profile Sticking



- FF-30** Craftsman 3-Panel 30" x 68" ▲
- FF-814** Craftsman 30" x 68" ▲
- FF-819** Full View SL 110" x 68" ▲ 12" x 68" ▲



Optional Craftsman Demit Shelf



### GRAINED MAHOGANY (FM)



Shaker Non-Profile Sticking



- FM-20** Craftsman 2-Panel 30" x 68" ▲
- FM-949** Full View SL 28" x 68" ▲ 30" x 68" ▲
- FM-607** Full View SL 28" x 68" ▲ 30" x 68" ▲
- FM-422** Full View SL 110" x 68" ▲ 12" x 68" ▲



Oval Sticking Profile



- FK-100** Flush 26" x 68" ▲ 28" x 68" ▲ 210" x 68" ▲ 30" x 68" ▲



- FK-686** Full View 28" x 68" ▲ 30" x 68" ▲
- FK-687** 26" x 68" ▲




- FK-408T** Blank Top 28" x 68" ▲ 30" x 68" ▲



- FK-659** Surburst 28" x 68" ▲ 30" x 68" ▲



- FK-648** Camber Top 28" x 68" ▲ 30" x 68" ▲



- FK-637** 1/2 View Round Top 28" x 68" ▲ 30" x 68" ▲



- FK-60** 6-Panel 26" x 68" ▲ 28" x 68" ▲ 28" x 68" ▲ 30" x 68" ▲



- FK-684** 1/2 View 28" x 68" ▲ 210" x 68" ▲ 30" x 68" ▲
- FK-672** 26" x 68" ▲



- FK-680** Twin Top Lites 28" x 68" ▲ 30" x 68" ▲



- FK-664** Top Lite 28" x 68" ▲ 30" x 68" ▲



- FK-10** Flush SL 10" x 68" ▲ 10" x 68" ▲ 12" x 68" ▲



- FK-690/694** 1/2 View SL 10" x 68" ▲ 10" x 68" ▲ 12" x 68" ▲



- FK-422** 1/2 View SL 80" x 1/2 View SL 10" x 80" ▲ 12" x 80" ▲



- FK-493** 80" x 1/2 View SL 80" x 1/2 View SL 10" x 80" ▲ 12" x 80" ▲



- FK-607** 80" x 1/2 View 28" x 80" ▲ 30" x 80" ▲



- FK-60** 80" x 6-Panel 28" x 80" ▲ 30" x 80" ▲



- FK-612** 80" x Full View 28" x 80" ▲ 30" x 80" ▲



- FK-100** 8" Flush 20" x 80" ▲ 26" x 80" ▲ 28" x 80" ▲ 30" x 80" ▲

20 minute Fire door option available in 28" & 30" widths. (Craftsman—Check with your JELD-WEN sales representative for availability)

▲ = Available in 70" heights

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.


# FIBERLAST® ENGINEERED COMPOSITE




## SMOOTH—FACTORY PRIMED WHITE (FL)



- FL-100** Flush  
26" x 68" ▲  
28" x 68" ▲  
30" x 68" ▲
- FL-612** 8" Full View  
28" x 80" ▲  
30" x 80" ▲
- FL-60** 8" 6-Panel  
28" x 80" ▲  
30" x 80" ▲
- FL-607** 8" 1/2 View  
28" x 80" ▲  
30" x 80" ▲
- FL-690/694** Full View SL  
10" x 68" ▲  
10" x 68" ▲  
12" x 68" ▲
- FL-692** 1/2 View SL  
10" x 68" ▲  
12" x 68" ▲
- FL-493** 8" 70" x 80" Full View SL  
10" x 80" ▲  
12" x 80" ▲
- FL-422** 8" 70" x 80" 1/2 View SL  
10" x 80" ▲  
12" x 80" ▲



- FL-100** Flush  
26" x 68" ▲  
28" x 68" ▲  
30" x 68" ▲
- FL-636** Full View Round Top  
28" x 68" ▲  
30" x 68" ▲
- FL-686** Full View  
28" x 68" ▲  
28" x 68" ▲  
30" x 68" ▲
- FL-687** 28" x 68"
- FL-408T** Blank Top  
28" x 68" ▲  
28" x 68" ▲  
30" x 68" ▲
- FL-659** Sunburst  
28" x 68" ▲  
30" x 68" ▲
- FL-648** Camber Top  
28" x 68" ▲  
30" x 68" ▲



- FL-437** 1/2 View Round Top  
28" x 68" ▲  
30" x 68" ▲
- FL-21** 2-Panel  
28" x 68" ▲  
30" x 68" ▲
- FL-A-684** 1/2 View 1-Panel  
28" x 68" ▲  
30" x 68" ▲
- FL-60** 6-Panel  
28" x 68" ▲  
28" x 68" ▲  
30" x 68" ▲
- FL-684** 1/2 View 2-Panel  
28" x 68" ▲  
28" x 68" ▲  
30" x 68" ▲
- FL-692** Twin 1/2 View  
28" x 68" ▲  
28" x 68" ▲  
30" x 68" ▲
- FL-680** Twin Top Lites  
28" x 68" ▲  
30" x 68" ▲



- FL-664** Top Lite  
28" x 68" ▲  
30" x 68" ▲
- FL-431** 1/2 View  
28" x 68" ▲  
30" x 68" ▲  
34 3/8" x 76 1/8"

20 minute Fire door option available in 28" & 30" widths. (Craftsman—Check with your JELD-WEN sales representative for availability)

▲ = Available in 70" heights

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.





**Impressions**

- » Clear Bevels
- » Iced Granite Glass
- » Streamed Glass
- » Clear Renaissance Glass

Privacy Rating | 7



**Transoms**



**Rectangular | 507LI**

(fits above 3'-0" door w/ (2) 14" sidelights — 15-1/2" frame height)



**FL-686LI**  
FL, FK  
Full View  
2'8" x 6'8"  
3'0" x 6'8"



**FL-690/694LI**  
FL, FK  
Full View SL  
10" x 6'8"  
12" x 6'8"



**FK-684LI**  
FL, FK  
1/2 View  
2'8" x 6'8"  
3'0" x 6'8"



**FK-692LI**  
FL, FK  
1/2 View SL  
10" x 6'8"  
12" x 6'8"




**FL-692LI**  
FL  
1/2 View  
2'8" x 6'8"  
3'0" x 6'8"



**FK-659LI**  
FL, FK  
Sunburst  
3'0" x 6'8"




**FM-949LI**  
FM  
3/4 Oval  
2'8" x 6'8"  
3'0" x 6'8"




**FL-686CA**  
FL, FK  
Full View  
2'8" x 6'8"  
3'0" x 6'8"



**FL-690/694CA**  
FL, FK  
Full View SL  
10" x 6'8"  
12" x 6'8"




**FL-612CA**  
FL, FK  
8'0" Full View  
2'8" x 8'0"  
3'0" x 8'0"



**FL-6493CA**  
FL, FK  
8'0" Full View SL  
10" x 8'0"  
12" x 8'0"



Bronze Vein Wrought Iron



**Catalina**

- » Micro Granite Glass

Privacy Rating | 9



**Transoms**




**Half Round | Bronze Vein Wrought Iron | 516CA**

(fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height

All JELD-WEN doors and sidelights supplied unfinished. For unfinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, Fibercast® Engineered Composite and Steel Doors. See pages 24-25 for availability.



Patina

**Tripoli**

- » Glue Chip Cluster Bevels
- » Glue Chip Glass
- » Alabaster Glass

Privacy Rating | 6



**Transoms**



**Rectangular | Patina | S21TP**

(Fits above 3'-0" door w/ (2) 12" sidelights) —


13'-1 1/2" frame height



**Elliptical | Patina | S78TP**

(Fits above 3'-0" door w/ (2) 12" sidelights) —

13'-1 1/2" frame height



**FK-686TP**  
FL, FK  
Full View  
2'6" x 6'8"  
10' x 6'8"  
3'0" x 6'8"

**FK-684TP**  
FL, FK  
1/2 View  
2'8" x 6'8"  
10' x 6'8"  
3'0" x 6'8"


**FK-692TP**  
FL, FK  
1/2 View SL  
10' x 6'8"  
12' x 6'8"

**FL-686DRY**  
FL, FK  
Full View  
2'6" x 6'8"  
10' x 6'8"  
3'0" x 6'8"

**FL-690/694DRY**  
FL, FK  
Full View SL  
10' x 6'8"  
12' x 6'8"

**FM-607DRY**  
FM  
3/4 View  
2'8" x 6'8"  
3'0" x 6'8"

**FM-422DRY**  
FM  
3/4 View SL  
10' x 6'8"  
12' x 6'8"



**FL-692TP**  
FL  
Twin 1/2 View  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

**FLA-684TP**  
FL, FK  
1/2 View 1-Panel  
2'8" x 6'8"  
3'0" x 6'8"

**FL-919TP**  
FL, FK  
Full Oval  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**FK8-607DRY**  
FL, FK  
80" x 1/2 View  
2'8" x 8'0"  
3'0" x 8'0"

**FK8-422DRY**  
FL, FK  
80" x 1/2 View SL  
2'8" x 8'0"  
12' x 8'0"



Patina

**NEW**

**Delray**

- » Gray Soft Wave Glass
- » Alabaster Glass
- » Micro-Iced Granite Glass
- » Small Hammered Glass
- » Clear Bevels

Privacy Rating | 7



**Transoms**



**Rectangular | Patina or Nickel | S21DRY**

(Fits above 3'-0" door w/ (2) 12" sidelights) —

13'-1 1/2" frame height

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, Fibercast® Engineered Composite and Steel Doors. See pages 24-25 for availability.





Black Chrome



**Entropy**

- » Clear Bevels
- » Granite Glass
- » Clear Seedy Glass
- » Clear Renaissance Glass

Privacy Rating | 5



**FK-682EN**  
FL, FK  
Full View  
2'8" x 6'8"

**FK-687EN**  
FL, FK  
1/2 View  
3'0" x 6'8"

**FK-690/694R-EN**  
FL, FK  
Full View SL  
1'0" x 6'8"



**FK-682EN**  
FL, FK  
Full View  
2'8" x 8'0"

**FK-687EN**  
FL, FK  
1/2 Full View SL  
1'0" x 8'0"



**FK-684CSB**  
FL, FK  
1/2 View  
3'0" x 6'8"

**FK-692CSB**  
FL, FK  
1/2 View SL  
3'0" x 6'8"



**FK-686CSB**  
FL, FK  
Full View  
2'0" x 6'8"

**FK-690/694CSB**  
FL, FK  
Full View SL  
1'0" x 6'8"



**Casablanca**

- » Dark Gray Silkscreen
- » Light Gray Silkscreen
- » Clear Glass

Privacy Rating | 8



All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, Fibercast® Engineered Composite and Steel Doors. See pages 24-25 for availability.





**Greenfield**

- » Thin Reed Glass
- » Small Hammered Glass
- » Pale Amber & Olive Soft Wave Glass

Privacy Rating | 7




**Transoms**



**Rectangular | Oil-Rubbed Bronze | 52 | GRF**  
 (Fits above 3'-0" door w/ (2) 12" sidelights) —  
 13-1/2" frame height

Shown with optional shelf



**FM-607GRF**  
 FM  
 3/4 View  
 28" x 68"  
 30" x 68"

**FM-422GRF**  
 FM  
 3/4 View SL  
 10" x 68"  
 12" x 68"

**FK-686GRF**  
 FL, FK  
 Full View  
 210" x 68"  
 310" x 68"

**FK-690/694GRF**  
 FL, FK  
 Full View SL  
 10" x 68"  
 12" x 68"



**FF-814GRF\***  
 FF  
 Craftsman  
 30" x 68"

**FF-819GRF\***  
 FF  
 Full View SL  
 10" x 68"  
 12" x 68"

**FK-672**  
 FL, FK  
 1/2 View  
 295" x 68"



**FM-607BLF**  
 FM  
 3/4 View  
 28" x 68"  
 30" x 68"

**FM-422BLF**  
 FM  
 3/4 View SL  
 10" x 68"  
 12" x 68"

**FK-686BLF**  
 FL, FK  
 Full View  
 210" x 68"  
 310" x 68"

**FK-690/694BLF**  
 FL, FK  
 Full View SL  
 10" x 68"  
 12" x 68"




**FF-814BLF\***  
 FF  
 Craftsman  
 30" x 68"

**FF-819BLF\***  
 FF  
 Full View SL  
 10" x 68"  
 12" x 68"

**FL-686BLF**  
 FL, FK  
 Full View  
 295" x 68"  
 310" x 68"

**FL-687BLF**  
 FL, FK  
 2'6" x 6'8"



**Bellflower**

- » Hammered Glass
- » Yellow Swirl Glass
- » Thin Reed Glass
- » Ruby Red & Olive Soft Wave Glass
- » Clear Bevels

Privacy Rating | 8



**Transoms**



**Rectangular | Patina | 52 | BLF**  
 (Fits above 3'-0" door w/ (2) 12" sidelights) —  
 13-1/2" frame height

Shown with optional shelf

\*Model 800 Series door/glass frames have a flat profile that is different than traditional profiles. Please note when matching with sidelights.

All JELD-WEN doors and sidelights supplied unfinished. For unfinished colors and options, contact your JELD-WEN dealer. Glass designs are also available with Smooth-Pro, FiberLase® Engineered Composite and Steel Doors. See pages 24-25 for availability.

# STEEL DOOR DESIGNS

**Every JELD-WEN® Steel exterior door is durable and affordable.** | They include wood stiles and rails with mitered top corners to prevent water absorption. Galvanized exterior door facings are factory-primed with neutral, low-sheen, baked-on enamel primer for easy finishing. Our wide range of steel doors include designs with beautiful decorative glass, popular grille patterns, textured glass, or blinds between the glass. Additionally, all standard glass designs fit these doors. Please check with your local dealer for glass, door design and size availability.

Each JELD-WEN Steel door is backed by a 10-year limited warranty; review it at [www.jeld-wen.com](http://www.jeld-wen.com).

## Contours™ Designs (CT, CC & ES Series)

These premium doors feature a tough, galvanized steel skin that features our exclusive high definition beaded sticking and double-hip panel profile. Other panel profiles are available in selected designs. They're available with an optional steel edge that delivers added security and a fire rating of up to 90 minutes.

## Gladiator® Designs (GL Series)

Standard utility grade steel doors

## FinisShield® Designs (FS Series)

Durable steel skins covered with a seven-mil layer of oak-textured vinyl.

## Wood Edge Construction

1. Laminated veneer lumber (LVL) stiles and top rail for sturdy construction that resists warping and buckling
2. Two coats of neutral, low-sheen, baked-on enamel primer enables easier finishing
3. Energy efficient core
4. Galvanized steel skin
5. Epoxy primer on the back of the steel skin prevents corrosion
6. Steel bottom rail for strength

Steel door bottom section with wood edge (standard)



## Steel Door Construction



Contours Beaded Profile (CT)



Contours Oval Profile (ES)

### CONTOURS™ PREMIUM STEEL

- 1-3/4" Door
- LVL stiles and rails
- Steel bottom rail
- Energy efficient core
- Optional steel edge
- 12" lock block
- Bright white color
- 20-minute fire rating construction available

### GLADIATOR® STANDARD STEEL

- 1-3/4" Door
- LVL stiles and rails
- Steel bottom rail
- Energy efficient core
- 12" lock block



Gladiator Oval Profile (GL)

### FINISHIELD® VINYL COVERED STEEL

- 1-3/4" Door
- LVL stiles and rails
- Steel bottom rail
- Energy efficient core
- 12" lock block
- Steel skin with 7-mil white woodgrain textured vinyl



FinisShield Oval Profile (FS)



# STEEL

## 2-Panel Designs - accepts 1/2 View 22 x 36 doorglass



**CT-100** ★  
CT, FS  
4-Panel  
27" x 68"  
CT, FS, GL  
27" x 68"  
27" x 68"  
30" x 68"

**CT-210** ★  
CT  
2-Panel Arch Top  
27" x 68"  
30" x 68"

**CT-211** ★  
CT  
2-Panel  
27" x 68"  
30" x 68"

**CT-969** ★  
CT, In Oval  
30" x 68"


**CT-111** ★  
CT  
Panel Eyebrow  
30" x 68"

**CC-814** ■  
Craftsman  
27" x 68"  
30" x 68"

**CC-30** ■  
Craftsman  
27" x 68"  
30" x 68"

Optional Dentil Shelf available

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.



**CT-919** ★  
CT, FS, GL  
1/2 View  
27" x 68"  
30" x 68"

**CT-686** ★  
CT, FS, GL  
1/2 View  
27" x 68"  
30" x 68"

**CT-687** ★  
CT, FS, GL  
27" x 68"  
30" x 68"

**CT-949** ★  
CT, FS  
Panel with 3/4 Oval  
27" x 68"  
30" x 68"

**CTA-607** ★ ▲  
CT, FS  
27" x 68"  
30" x 68"

**CTA-422** ★  
CT  
3/4 View  
27" x 68"  
30" x 68"

**CT-692** ★ ▲  
CT, ES, FS, GL  
Twin 1/2 View  
27" x 68"  
30" x 68"




**CT-422** ★  
CT, ES, FS  
3/4 View SL  
10" x 68"  
12" x 68"

**CT-493** ★  
CT  
80" 1/2 View SL  
10" x 80"  
12" x 80"

**CT-692** ★ ▲  
CT, ES, FS  
1/2 View SL  
10" x 68"  
12" x 68"

**CT-422** ★  
CT  
3/4 View SL  
10" x 68"  
12" x 68"

**CT-690/694** ★  
CT, FS  
Full View SL  
10" x 68"  
12" x 68"



**ES-40** ▲  
ES  
4-Panel  
27" x 68"  
30" x 68"

**CT-680** ★ ▲  
CT, ES, FS, GL  
Twin Top Lite  
27" x 68"  
30" x 68"


**CT-684** ★ ▲  
CT, ES, FS, GL  
1/2 View  
27" x 68"  
30" x 68"

**CT-684** ★ ▲  
CT, ES, FS, GL  
1/2 View  
27" x 68"  
30" x 68"

**CT-684** ★ ▲  
CT, ES, FS, GL  
1/2 View  
27" x 68"  
30" x 68"

**CT-684** ★ ▲  
CT, ES, FS, GL  
1/2 View  
27" x 68"  
30" x 68"

**CT-684** ★ ▲  
CT, ES, FS, GL  
1/2 View  
27" x 68"  
30" x 68"



**CT-692** ★ ▲  
CT, ES, FS  
1/2 View SL  
10" x 68"  
12" x 68"

**CT-493** ★  
CT  
80" 1/2 View SL  
10" x 80"  
12" x 80"

**CT-692** ★ ▲  
CT, ES, FS  
1/2 View SL  
10" x 68"  
12" x 68"

**CT-422** ★  
CT  
3/4 View SL  
10" x 68"  
12" x 68"

**CT-690/694** ★  
CT, FS  
Full View SL  
10" x 68"  
12" x 68"

**CT-692** ★ ▲  
CT, ES, FS, GL  
Twin 1/2 View  
27" x 68"  
30" x 68"

**CT-684** ★ ▲  
CT, FS, GL  
Camber Top  
27" x 68"  
30" x 68"

**CT-659** ★ ▲  
CT, FS, GL  
Sunburst  
27" x 68"  
30" x 68"


**CT-664** ★ ▲  
CT, FS, GL  
Top Lite  
27" x 68"  
30" x 68"

**CT-408T** ★ ▲  
CT, FS, GL  
4-Panel Blank Top  
27" x 68"  
30" x 68"

**CT-692** ★ ▲  
CT, ES, FS, GL  
Twin 1/2 View  
27" x 68"  
30" x 68"

**CT-400** ★  
CT, FS, GL  
27" x 68"

## Steel Door Sticking Profiles



CT = Contours Beaded  
ES = Contours Ovalo  
FS = FinsShield Ovalo  
GL = Gladiator Ovalo  
CC = Craftsman

★ Beaded Sticking (CT)

▲ 2-Panel Sticking (ES, GL, FS)

■ Craftsman Sticking (CC)


## Fire-Rated Doors

Our fire-rated steel doors are made to meet or exceed local fire rating building codes for both residential and light commercial use. For true fire protection, these doors must be used with certified frames and hardware.



**CT-680** ★ ▲  
CT, ES, FS, GL  
Twin Top Lite  
27" x 68"  
30" x 68"

**CT-680** ★ ▲  
CT, ES, FS, GL  
Twin Top Lite  
27" x 68"  
30" x 68"



**CT-680** ★ ▲  
CT, ES, FS, GL  
Twin Top Lite  
27" x 68"  
30" x 68"

**CT-90** ★ ▲  
CT, FS  
9-Panel  
27" x 68"  
30" x 68"


**CT-632** ★ ▲  
CT, FS  
8-Panel Center Arch  
27" x 68"  
30" x 68"

**CT-80** ★ ▲  
CT, FS  
8-Panel  
27" x 68"  
30" x 68"

**CT-684** ★ ▲  
CT, ES, FS, GL  
1/2 View  
27" x 68"  
30" x 68"

**CT-672** ★  
CT, ES, FS, GL  
27" x 68"

**CT-680** ★ ▲  
CT, ES, FS, GL  
Twin Top Lite  
27" x 68"  
30" x 68"



**ES-607** ▲  
ES  
80" 1/2 View  
27" x 80"  
30" x 80"

**ES-60** ▲  
ES  
80" 6-Panel  
27" x 80"  
30" x 80"

**CT-612** ★  
CT  
80" Full View  
27" x 80"  
30" x 80"

**CT-80** ★ ▲  
CT  
80" Fligh  
27" x 80"  
30" x 80"

**CT-80** ★ ▲  
CT  
80" Fligh  
27" x 80"  
30" x 80"

**CT-640** ★ ▲  
CT, FS  
Center Glass  
27" x 68"  
30" x 68"

**CT-640** ★ ▲  
CT, FS  
Center Glass  
27" x 68"  
30" x 68"

**CT-640** ★ ▲  
CT, FS  
Center Glass  
27" x 68"  
30" x 68"

**CT-640** ★ ▲  
CT, FS  
Center Glass  
27" x 68"  
30" x 68"

**CT-640** ★ ▲  
CT, FS  
Center Glass  
27" x 68"  
30" x 68"

**CT-640** ★ ▲  
CT, FS  
Center Glass  
27" x 68"  
30" x 68"

**CT-640** ★ ▲  
CT, FS  
Center Glass  
27" x 68"  
30" x 68"

\*Contours, FinsShield and Gladiator, Sunburst and Camber Top designs have different top rail dimensions. See specifications at [www.jeld-wen.com](http://www.jeld-wen.com)

Standard sizes shown. See Dealer for 27" widths, 70" sizes and other styles

STEEL RADIANT HUES (RA)

STEEL MADISON (MI)



Nickel




**Radiant Hues**

- » Clear Bevels
- » Clear Renaissance Glass
- » Gray Renaissance Glass

Privacy Rating | 3



**Transoms**



**Rectangular | Nickel | 507RA**

(Fits above 3'-0" door w/ (2) 14" sidelights — 15-1/2" frame height)


**Rectangular | Nickel | 521RA**

(Fits above 3'-0" door w/ (2) 12" sidelights — 13-1/2" frame height)



**Rectangular | Nickel | 517RA**

(Fits above 3'-0" door) — 15-1/2" frame height



**CT-686RA**

CT, FS, GL  
Full View  
2'8" x 6'8"

**CT-687RA**

2'6" x 6'8"



**CT-949RA**

CT, FS  
3/4 Oval  
3'0" x 6'8"



**CTA-607RA**

CT, FS  
3/4 View  
3'0" x 6'8"



**CT-686MI**

CT, FS, GL  
Full View  
3'0" x 6'8"

**CT-687MI**

2'6" x 6'8"




**CT-690/694MI**

CT, FS  
Full View, SL  
12" x 6'8"



**CTA-422MI**


CT  
Twin 3/4 View  
3'0" x 6'8"



**CTA-422RA**

CT  
Twin 3/4 View  
2'8" x 6'8"

3'0" x 6'8"



**CT-692RA**

CT, FS, FS, GL  
Twin 1/2 View  
2'8" x 6'8"

3'0" x 6'8"



**CT-692RA**

CT, FS, FS  
1/2 View, SL  
10" x 6'8"

12" x 6'8"



**CTA-607MI**

CT, FS  
3/4 View  
2'8" x 6'8"

3'0" x 6'8"



**CT-422MI**

SL View, SL  
10" x 6'8"

12" x 6'8"



**CC-814MI\***

Craftsman  
2'8" x 6'8"

3'0" x 6'8"

**CC-819MI\***

Craftsman, SL  
1'0" x 6'8"

1'2" x 6'8"



Nickel  
Wrought Iron



**Madison**

- » Micro-Cubed Glass
- » Wrought Iron between Glass


Privacy Rating | 9




STEEL MONTEREY (MO)




**CTA-607MO**  
CT, FS  
3/4 View  
2'8" x 6'8"  
3'0" x 6'8"



**CT-690/  
694MO**  
CT, FS  
Full View SL  
1'0" x 6'8"  
1'2" x 6'8"




**CT-686MO**  
CT, FS, GL  
Full View  
2'8" x 6'8"  
3'0" x 6'8"



**CC-814MO**  
CT, FS  
Coffman  
2'8" x 6'8"  
3'0" x 6'8"



**CT-422MO**  
CT, FS, GL  
3/4 View SL  
1'0" x 6'8"  
1'2" x 6'8"




**CTA-422MO**  
CT, FS, GL  
Top 3/4 View  
2'8" x 6'8"  
3'0" x 6'8"

Patina  
Satin Nickel



**Monterey**

- » Clear Bevels
- » Granite Glass
- » Micro-Granite Glass



**Transoms**




**Rectangular | Patina or Satin Nickel | 507MO**  
(Fits above 3'-0" door w/ (2) 14" sidelights — 15-1/2" frame height)


STEEL MOHAVE (MOH)



**CT-692MOH**  
CT, ES, FS  
1/2 View SL  
2'8" x 6'8"  
1'2" x 6'8"



**CT-684MOH**  
CT, ES, FS, GL  
1/2 View  
2'8" x 6'8"  
3'0" x 6'8"




**CT-690/  
694MOH**  
CT, FS  
Full View SL  
1'0" x 6'8"  
1'2" x 6'8"



**CT-686MOH**  
CT, FS, GL  
Full View  
2'8" x 6'8"  
3'0" x 6'8"

**CT-687MOH**  
CT, FS, GL  
2'6" x 6'8"



**CTB-493MOH**  
CT, FS  
8'0" Full View SL  
1'0" x 8'0"  
1'2" x 8'0"




**CTB-612MOH**  
CT, FS  
8'0" Full View  
2'8" x 8'0"  
3'0" x 8'0"

Oil-Rubbed Bronze  
NEW



**Mohave**

- » Micro-Iced Granite Glass
- » Gray Soft Wave Glass
- » Bronze Soft Wave Glass
- » Pale Amber Soft Wave Glass
- » Clear Bevels
- » Streamed Glass
- » Small Hammered Glass



\*Model 800 Series doorglass frames have a flat profile that is different than a traditional profile.

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

STEEL MAJESTIC (ME)



Majestic

- » Glue Chip Bevels
- » Glue Chip Glass
- » Gray Soft Wave Glass

Privacy Rating | 6



Transoms



Rectangular | Nickel or Brass | 507ME

(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular | Patina, Nickel or Brass | 521ME

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height




Elliptical | Patina, Nickel or Brass | 578ME

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

RELIABILITY for real life®



STEEL TOPAZ (TPZ)



Topaz

- » Micro-Granite Glass
- » Bronze Soft Wave Glass
- » Thin Reed Glass
- » Clear Bevels

Privacy Rating | 9



Optional Dentil Shelf available



CT-686ME CT, FS, GL Full View 28" x 68" 30" x 68"

CT-687ME CT, FS, GL 26" x 68" 30" x 68"

CT-690/694ME CT, FS Full View SL 10" x 68" 12" x 68"

CTA-607ME CT, FS 3/4 View 28" x 68" 30" x 68"

CT-422ME CT 3/4 View SL 10" x 68" 12" x 68"

CTA-422ME CT Twin 3/4 View 28" x 68" 30" x 68"

CT-692ME CT, ES, FS, GL 1/2 View SL 10" x 68" 12" x 68"

CT-684ME CT, ES, FS, GL 1/2 View SL 28" x 68" 30" x 68"

CT-637ME CT, GL, FS 1/2 View Bound Top 28" x 68" 30" x 68"

CT-692ME CT, FS, GL 1/2 View 28" x 68" 30" x 68"

CT-640ME CT, FS Center Glass 28" x 68" 30" x 68"

CT-612ME CT 80" Full View SL 28" x 80" 30" x 80"

CT-493ME CT 80" Full View SL 28" x 80" 30" x 80"

CT-600TPZ/694TPZ CT, FS Full View SL 10" x 68" 12" x 68"

CT-686TPZ CT, FS, GL Full View 28" x 68" 30" x 68"

CT-687TPZ CT, FS, GL 26" x 68" 30" x 68"

CT-422TPZ CT, FS 3/4 View SL 10" x 68" 12" x 68"

CTA-607TPZ CT, FS 3/4 View 28" x 68" 30" x 68"

CT-692TPZ CT, ES, FS, GL 1/2 View SL 10" x 68" 12" x 68"

CT-684TPZ CT, ES, FS, GL 1/2 View SL 28" x 68" 30" x 68"

CC-819TPZ\* CC, USpan 10" x 68" 12" x 68"

CC-814TPZ CC, USpan 28" x 68" 30" x 68"

CT-692TPZ CT, ES, FS, GL 1/2 View SL 10" x 68" 12" x 68"

CT-684TPZ CT, ES, FS, GL 1/2 View SL 28" x 68" 30" x 68"

CC-819TPZ\* CC, USpan 10" x 68" 12" x 68"

CC-814TPZ CC, USpan 28" x 68" 30" x 68"

CT-692TPZ CT, ES, FS, GL 1/2 View SL 10" x 68" 12" x 68"

CT-684TPZ CT, ES, FS, GL 1/2 View SL 28" x 68" 30" x 68"

CC-819TPZ\* CC, USpan 10" x 68" 12" x 68"

CC-814TPZ CC, USpan 28" x 68" 30" x 68"

CT-692TPZ CT, ES, FS, GL 1/2 View SL 10" x 68" 12" x 68"

CT-684TPZ CT, ES, FS, GL 1/2 View SL 28" x 68" 30" x 68"

CC-819TPZ\* CC, USpan 10" x 68" 12" x 68"

CC-814TPZ CC, USpan 28" x 68" 30" x 68"

CT-692TPZ CT, ES, FS, GL 1/2 View SL 10" x 68" 12" x 68"

CT-684TPZ CT, ES, FS, GL 1/2 View SL 28" x 68" 30" x 68"

CC-819TPZ\* CC, USpan 10" x 68" 12" x 68"

CC-814TPZ CC, USpan 28" x 68" 30" x 68"

CT-692TPZ CT, ES, FS, GL 1/2 View SL 10" x 68" 12" x 68"

CT-684TPZ CT, ES, FS, GL 1/2 View SL 28" x 68" 30" x 68"

CC-819TPZ\* CC, USpan 10" x 68" 12" x 68"

CC-814TPZ CC, USpan 28" x 68" 30" x 68"

CT-692TPZ CT, ES, FS, GL 1/2 View SL 10" x 68" 12" x 68"

CT-684TPZ CT, ES, FS, GL 1/2 View SL 28" x 68" 30" x 68"

CC-819TPZ\* CC, USpan 10" x 68" 12" x 68"

CC-814TPZ CC, USpan 28" x 68" 30" x 68"

687 not available in patina

Brass & Nickel only

Brass & Nickel only

Brass & Nickel only

\*Model 800 Series doorglass frames have a flat profile that is different than a traditional profile.

All JELD-WEN doors and sidelights supplied unfinished. For prefinished colors and options, contact your JELD-WEN dealer.


Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.

# STEEL CUT CRYSTAL (CC)




## Cut Crystal

- » Grooved Glass
- » Clear Glass



Privacy Rating | 1



# STEEL | SIMPLICITY (SM)




## Simplicity

- » Grooved Glass
- » Frosted Glass



Privacy Rating | 8



# FIBERLAST® ENGINEERED COMPOSITE, DESIGN-PRO, SMOOTH-PRO & STEEL

BLINDS BETWEEN THE GLASS

## BLINDS BETWEEN GLASS


### Triple Glazed Blinds Between Glass



**686BLD**  
Full View  
28" x 68"  
30" x 68"



**684BLD**  
1/2 View  
28" x 68"  
30" x 68"



**686-CGBGLD**  
10-Light  
28" x 68"  
30" x 68"



**684-CGBGLD**  
9-Light  
28" x 68"  
30" x 68"



**686-CGBGLD**  
15-Light  
28" x 68"  
30" x 68"


### Triple Glazed Blinds Between Glass with Grilles



**686RLB**  
Full View  
28" x 68"  
30" x 68"



**684RLB**  
1/2 View  
28" x 68"  
30" x 68"



**686-CGBGLD**  
10-Light  
28" x 68"  
30" x 68"



**684-CGBGLD**  
9-Light  
28" x 68"  
30" x 68"



**686-CGBGLD**  
15-Light  
28" x 68"  
30" x 68"

White 1/2" Contoured Grille

## Blinds Between Glass



**686RLB**  
Full View  
28" x 68"  
30" x 68"



**684RLB**  
1/2 View  
28" x 68"  
30" x 68"



**686-CGBGLD**  
10-Light  
28" x 68"  
30" x 68"



**684-CGBGLD**  
9-Light  
28" x 68"  
30" x 68"



**686-CGBGLD**  
15-Light  
28" x 68"  
30" x 68"

White 1/2" Contoured Grille

**CT-493CC**  
CT  
80" Full View SL  
12" x 68"  
12" x 68"

**CTB-612CC**  
CT  
80" Full View  
12" x 68"  
30" x 80"

**CT-690/694CC**  
CT, FS  
Full View SL  
12" x 68"  
12" x 68"

**CT-686CC**  
CT, FS, GL  
Full View  
28" x 68"  
30" x 68"



**CT-6925M**  
CT, ES, FS, GL  
1/2 View SL  
10" x 68"  
12" x 68"



**CT-6845M**  
CT, ES, FS, GL  
1/2 View  
28" x 68"  
30" x 68"



**CT-6925M**  
CT, ES, FS, GL  
Twin 1/2 View  
28" x 68"  
30" x 68"



**CT-690/6945M**  
CT, FS  
Full View SL  
10" x 68"  
12" x 68"




**CT-6865M**  
CT, FS, GL  
Full View  
28" x 68"  
30" x 68"



## Blinds Between Glass

- » Raise, Lower and Tilt Blinds
- » No dusting
- » Available in Low-E glass
- » Triple Glazed design reduces heat transmission by 28%

Privacy Rating | 1 / 5 / 10



## VENTING DOOR GLASS - Lets in fresh air



**798CL**  
1/2 View  
Clear Glass  
28" x 68"  
30" x 68"



**798RN**  
1/2 View  
Rain Glass  
28" x 68"  
30" x 68"



**798GBG**  
1/2 View  
Grille Between Glass  
28" x 68"  
30" x 68"



**798GBG/RN**  
1/2 View  
Grille Between Glass with Rain Glass  
28" x 68"  
30" x 68"

CL = Low-E  
RN = Rain Glass


All FIBERLAST® doors and sidelights supplied unfinished. For prefinished colors and options, contact your FIBERLAST® dealer.

Glass designs are also available with Smooth-Pro, FiberLast® Engineered Composite and Steel Doors. See pages 24-25 for availability.


CLEAR & PRIVACY DOORGLASS

Door designs shown with clear glass inserts. The following glass inserts are available for Design-Pro, Smooth-Pro, FiberLast® Engineered Composite, Contours™, Gladiator®, and FinShield® doors. See door pages for door style availability.


Clear and Privacy Glass



COLONIAL STYLE GRILLES BETWEEN THE GLASS & FIXED GRILLES



Fixed External Grilles & Grilles Between the Glass



Glass Options



☑ = Available with Low-E  
 CB = Contoured Bar 11/16"  
 SLB = Slim Line Bar 5/16"  
 WB = Wide Bar 7/8"  
 SB = Standard Bar 5/8"  
 MG = Micro-Granite with Low-E  
 DGC = Double Glue Chip with Low-E  
 RN = Rain Glass with Low-E  
 CL = Clear  
 FX = Fixed External Grilles



# IMPACT AND COASTAL RATED DOORS

If you live near the coast or in an area prone to hurricanes, your home is subject to harsh and potentially dangerous conditions. That's why your door choices are crucial to your home's survival.

JELD-WEN offers select door systems with features that allow them to stand up to salt air, coastal moisture, severe winds and the dangerous wind borne debris from hurricanes.

The door/glass used in our door systems is certified for use in various entry systems to meet Florida and Texas code requirements. The glass is also designed to maximize natural light, making it an attractive alternative to hurricane shutters.

Visit [www.jeld-wen.com](http://www.jeld-wen.com) and your JELD-WEN dealer for specific details on door systems requiring coastal certifications.



## Raise, Lower and Tilt Blind (RLB)

## Clear (CL) Glass

	<b>CT-686RLB</b> Full View 28" x 68" 30" x 68" CT		<b>CT-684RLB</b> 1/2 View CT, ES 28" x 68" 30" x 68" CT		<b>CT-496RLB</b> Full View 28" x 68" 30" x 68" CT		<b>CT-687RLB</b> (SL tilt only) 26" x 68"		<b>CT-690/694RLB</b> Full View 28" x 68" 30" x 68" CT		<b>CT-612RLB</b> Full View 28" x 68" 30" x 68" CT		<b>CT-496RLB</b> Full View 28" x 68" 30" x 68" CT		<b>CT-687CL</b> Full View 28" x 68" 30" x 68" CT		<b>CT-686CL</b> Full View 28" x 68" 30" x 68" CT		<b>CT-612RLB</b> Full View 28" x 68" 30" x 68" CT		<b>CT-684CL</b> CT, ES 28" x 68" 30" x 68"		<b>CT-694CL</b> Full View SL 10" x 68" 12" x 68" 30" x 68"		<b>CT-651CL</b> CT 1/4 View 28" x 68" 30" x 68"		<b>CT-607CL</b> CT 3/4 View 28" x 68" 30" x 68"		<b>CT-8-612CL</b> CT 80" Full View 28" x 80" 30" x 80"		<b>CT-8-493CL</b> CT 80" Full View 28" x 80" 30" x 80"
--	---	--	--	--	---	--	---	--	---	--	---	--	---	--	--	--	--	--	---	--	---	--	--	--	---	--	---	--	--	--	--

## Grilles Between Glass (GBG)

	<b>CT-686GBG9</b> CT, ES 9-Lite 30" x 68" 30" x 68"		<b>CT-607GBG12</b> CT 12-Lite 30" x 68" 30" x 68"		<b>CT-686GBG12</b> CT 10-Lite 28" x 68" 30" x 68"		<b>CT-686GBG10</b> CT 15-Lite 28" x 68" 30" x 68"		<b>CT-686GBG15</b> CT 15-Lite 28" x 68" 30" x 68"		<b>CT-694GBG5</b> CT 5-Lite SL 10" x 68" 12" x 68"		<b>CT-612GBG18</b> CT 80" 18-Lite 28" x 80" 30" x 80"		<b>CT-493GBG6</b> CT 6-Lite SL 10" x 80" 12" x 80"		<b>CT-496GBG12</b> CT 26" x 80"
--	---	--	---	--	---	--	---	--	---	--	--	--	---	--	--	--	---------------------------------------

## Impact Rated Opaque Doors

	<b>CT-100</b> CT Flush 20" x 68" 26" x 68" 28" x 68" 30" x 68"		<b>CT-30</b> CT 3-Panel 28" x 68" 30" x 68"		<b>ES-40</b> ES 4-Panel 28" x 68" 30" x 68"		<b>CT-60</b> CT, ES 6-Panel 28" x 68" 30" x 68"		<b>CT-80</b> CT 8-Panel 28" x 68" 30" x 68"		<b>CT-90</b> CT 9-Panel 28" x 68" 30" x 68"
--	--	--	---	--	---	--	---	--	---	--	---

## Cadence (CD) Glass-Patina

	<b>CT-686CD</b> Full View 28" x 68" 30" x 68" CT		<b>CT-694CD</b> Full View SL 10" x 68" 12" x 68" 30" x 68" CT		<b>CTA-607CD</b> 3/4 View 28" x 68" 30" x 68" CT		<b>CT-651CD</b> 1/4 View 28" x 68" 30" x 68" CT		<b>CT-8-612CD</b> 80" Full View 28" x 80" 30" x 80" CT		<b>CT-493CD</b> 80" Full View 28" x 80" 30" x 80" CT		<b>CT-686EX</b> Full View 28" x 68" 30" x 68" CT		<b>CT-694EX</b> Full View SL 10" x 68" 12" x 68" 30" x 68" CT		<b>CT-651EX</b> 1/4 View 28" x 68" 30" x 68" CT		<b>CT-612EX</b> 80" Full View 28" x 80" 30" x 80" CT		<b>CT-493EX</b> 80" Full View 28" x 80" 30" x 80" CT
--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	---	--	--	--	--

## Expressions (EX) Glass-Brass or Satin Nickel

	<b>CT-686EX</b> Full View 28" x 68" 30" x 68" CT		<b>CT-694EX</b> Full View SL 10" x 68" 12" x 68" 30" x 68" CT		<b>CT-651EX</b> 1/4 View 28" x 68" 30" x 68" CT		<b>CT-612EX</b> 80" Full View 28" x 80" 30" x 80" CT		<b>CT-493EX</b> 80" Full View 28" x 80" 30" x 80" CT
--	--	--	--	--	---	--	--	--	--

\*Also available in Prairie-Style grille design

CT = Contours

Available with Low-E

All JELD-WEN doors and sidelights supplied unfinished. For unfinished colors and options, contact your JELD-WEN dealer.

See page 80 for designated sticking by door design

# SEVERE WEATHER DOORGLASS

## Jacinto (JA) Glass – Wrought Iron



**CT-685JA**  
CT  
Full View  
28" x 68"  
30" x 68"




**CT-694JA**  
CT  
Full View SL  
10" x 68"  
12" x 68"



**CTB-612JA**  
CT  
80" Full View  
80" x 80"  
28" x 68"  
30" x 68"



**CTB-493JA**  
CT  
80" Full View SL  
10" x 80"  
12" x 80"



**CT-686**  
CT  
Full View  
28" x 68"  
30" x 68"  
CT, FL



**CT-694LI**  
CT  
Full View SL  
10" x 68"  
12" x 68"



**CT-684LI**  
CT  
1/2 View  
28" x 68"  
30" x 68"



**CTB-612LI**  
CT  
80" Full View  
80" x 80"  
28" x 68"  
30" x 68"



**CTB-493LI**  
CT  
80" Full View SL  
10" x 80"  
12" x 80"

## Impressions (LI) Glass

## Topaz (TPZ) Glass – Patina



**CT-686TPZ**  
CT  
Full View SL  
10" x 68"  
12" x 68"



**CT-686CPS**  
CT  
Full View  
28" x 68"  
30" x 68"



**CT-694CPS**  
CT  
Full View SL  
10" x 68"  
12" x 68"




**CTB-612CPS**  
CT  
80" Full View  
80" x 80"  
28" x 68"  
30" x 68"



**CTB-493CPS**  
CT  
80" Full View SL  
10" x 80"  
12" x 80"

## Compass (CPS) Glass – Nickel

## Carrollton (CRL) Glass – Patina



**CT-686CRL**  
CT  
Full View  
28" x 68"  
30" x 68"  
CT



**CT-694CRL**  
CT  
Full View SL  
10" x 68"  
12" x 68"

## Greenfield (GRF) Glass – Oil Rubbed Bronze



**CT-686GRF**  
CT  
Full View  
28" x 68"  
30" x 68"



**CT-694GRF**  
CT  
Full View SL  
10" x 68"  
12" x 68"

## Heirlooms (HM) Glass – Nickel



**CTB-612HM**  
CT  
80" Full View  
80" x 80"  
28" x 68"  
30" x 68"




**CT-694HM**  
CT  
Full View SL  
10" x 68"  
12" x 68"



**CT-684HM**  
CT, ES  
1/2 View  
28" x 68"  
30" x 68"



**CTB-493HM**  
CT  
80" Full View SL  
10" x 80"  
12" x 80"



**CT-686RA**  
CT  
Full View  
28" x 68"  
30" x 68"



**CT-694RA**  
CT  
Full View SL  
10" x 68"  
12" x 68"



**CT-684RA**  
CT, ES  
1/2 View  
28" x 68"  
30" x 68"

## Radiant Hues (RA) Glass – Nickel



**CTB-612RA**  
CT  
80" Full View  
80" x 80"  
28" x 68"  
30" x 68"



**CTB-493RA**  
CT  
80" Full View SL  
10" x 80"  
12" x 80"

## Elegant Star (TX) Glass – Patina



**CT-686TX**  
CT  
Full View SL  
10" x 68"  
12" x 68"



**CT-694TX**  
CT  
Full View SL  
10" x 68"  
12" x 68"



**CT-684TX**  
CT, ES  
1/2 View  
28" x 68"  
30" x 68"

## Delray (DRY) Glass – Patina



**CT-686DRY**  
CT  
Full View  
28" x 68"  
30" x 68"



**CT-694DRY**  
CT  
Full View SL  
10" x 68"  
12" x 68"



**CTB-612DRY**  
CT  
80" Full View  
80" x 80"  
28" x 68"  
30" x 68"



**CTB-493DRY**  
CT  
80" Full View SL  
10" x 80"  
12" x 80"

## Majestic (ME) Glass – Nickel



**CT-686ME**  
CT  
Full View  
28" x 68"  
30" x 68"



**CT-651ME**  
CT  
1/4 View  
28" x 68"  
30" x 68"



**CT-684ME**  
CT, ES  
1/2 View  
28" x 68"  
30" x 68"



**CTB-612ME**  
CT  
80" Full View  
80" x 80"  
28" x 68"  
30" x 68"



**CTB-493ME**  
CT  
80" Full View SL  
10" x 80"  
12" x 80"



**CT-686PS**  
CT  
Full View  
28" x 68"  
30" x 68"



**CT-694PS**  
CT  
Full View SL  
10" x 68"  
12" x 68"



**CTA-607PS**  
CT  
3/4 View  
28" x 68"  
30" x 68"

## Double Glue Chip (DGC) Glass



**CT-686DGC**  
CT  
Full View  
28" x 68"  
30" x 68"



**CT-694DGC**  
CT, ES  
1/2 View  
28" x 68"  
30" x 68"



**CT-684DGC**  
CT, ES  
1/2 View  
28" x 68"  
30" x 68"

## PREHUNG DOOR SPECIFICATIONS



### The JELD-WEN Door System

All JELD-WEN doors are available with our prehung option. This comprehensive package ensures the smoothest installation of your JELD-WEN door. Ask your dealer for available prehung options.

- 6'8", 7'0" and 8'0" systems
- Doors available in both inswing and outswing configurations

Multiple frame depths available  
4-9/16"; 5-1/4"; 6-9/16"; 7-1/4"

Standard primed frames and brickmould, ready to paint

Optional Auralast® Wood exterior door frames and brickmould - stain or paint grade

Hinge finish options available. Contact JELD-WEN dealer for more information.

Energy efficient foam weatherstripping around the door perimeter, combined with door bottom sweep helps seal out wind and water.

Sill system

Unfinished doors and sidelites available. Contact your JELD-WEN dealer for details.

## APPROPRIATE PROTECTION FOR EXTERIOR DOORS

Every door type weathers differently. Wood doors, for example, are more susceptible to the elements than steel or fiberglass. The following are some guidelines for designing the best combination of door material, overhang protection, and other factors affecting the long-term performance of the door.

### Overhang


An overhang as shown is required for wood doors, and recommended for steel and fiberglass doors.

Overhangs protect the door's finish, minimize the need for refinishing and help keep the weather out of the home. An example formula

for determining the correct overhang (in many climates) is: D (Depth) = 1/2H (Height). For example, if the measurement from the base of the door to the bottom of the overhang is 10 feet, then the overhang should extend at least 5 feet.

This formula can change based on the climate and the direction of the door faces. The following

section will explain how to modify the formula based on these factors.



### Climate & Exposure

Also consider the variables specific to your region. The climate and the direction a door faces play a key role in determining a proper overhang. Typically, southern and western exposures are harshest. With southern exposures, the sun beats down on the door from sunrise to sunset. In western exposures, the door receives sunlight in the hottest part of the day.

Please consult the following chart and adjust the depth of the overhang as needed.

Climate	Direction the door faces			
	North	South	East	West
Desert	D = 1/2H	D = 2H	D = 1/2H	D = 2H
Ocean	D = 1/2H	D = H	D = 1/2H	D = H
Wet	D = H	D = H	D = H	D = H
Mild	D = 1/2H	D = H	D = 1/2H	D = H

Without adequate overhangs, doors with a southern, southwestern, southeastern or western exposure will require more frequent maintenance. Doors without appropriate protection may also experience performance problems such

The information contained herein is provided solely for informational and/or educational purposes. JELD-WEN disclaims any and all liability associated with the use and/or provision of this information. Any reliance upon the information or advice is at the risk of the party so relying. The information contained herein may be changed from time to time without notification.

as rapid finish deterioration, color fading, wood splitting, warping, moulding shrinkage, wood joint separation, and water penetration between the mouldings, panels, and glass.

With proper overhangs, doors may face any direction (north, south, east or west). Doors installed in these types of applications still require finish maintenance. Wood doors, for instance, may need to be refinished every two to five years.

### Color Choice

No matter what type of exterior door is selected, color choice may effect how quickly the exterior of the door weathers in extreme climates. In general, darker colors absorb more heat than lighter colors. The exterior face of a door exposed to the sun in harsh environments can reach temperatures well in excess of 120 degrees. As a rule of thumb, if you cannot hold your hand on the face of the door for more than 30 seconds, the door is too hot. These extreme temperatures can cause noticeable damage to the door including finish deterioration and accelerated color fading.

In addition, extreme temperature changes can cause warping, sticking and other performance problems. For doors with little protection or doors installed in hot environments, light colors may help reflect the heat and slow down heat build-up. Depending on the exposure and environment, other precautions (such as overhangs) should be taken to protect the door from the effects of the sun.

### Storm Doors

Storm doors provide additional protection for exterior doors in many climates. They shelter the door mainly from rain and wind, though a storm door with dual pane low-E glass will also block UV rays. In hot climates, adding a storm door may not be a good choice. Heat builds up between the two doors and can cause substantial damage like warping, color fading, and wood joint separation on the door. A storm door in front of a dark colored exterior door can accelerate heat build up even more. Storm doors selected for these situations should be vented to relieve excess heat build-up.

### Patio Doors

Steel and fiberglass French and Patio doors have the same overhang requirements as the other entry door types. Provide an adequate overhang to protect them from exposure. Some patio doors are specially built to withstand water intrusion and can be safely placed in locations with more exposure. For more information, consult your product's specific certification information or contact us.

### JELD-WEN Warranties

This document provides general information about measures that can be taken to better protect exterior doors, but no warranties are provided by this document. For specific product information and available product warranties, please refer to [www.jeld-wen.com](http://www.jeld-wen.com) or contact us at 1-800-JELD-WEN (1-800-535-5396).



### Auralast® The Worry-Free Wood

Working with Auralast® Wood is easy.

Virtually 100% surface to core protection, nail and screw holes and trimming and sanding will not compromise the Shield of Auralast protection. Other manufacturers use dip-treated wood which has only surface protection.

Only JELD-WEN makes windows, patio doors, exterior doors, door frames and exterior trim boards with solid pine Auralast. The Worry-Free Wood, which offers superior protection from wood rot, water saturation and termites.

#### Protects against wood rot

Auralast Wood windows and patio doors, wood doors, frames and components maintain their structural integrity even in the harshest weather and toughest climates.

#### Protects against water saturation

Auralast Wood offers superior resistance to water saturation, which helps protect against swelling and preventing the window or door from sticking.

#### Protects against termite infestation

Harmful termites will eat through unprotected wood—not so with Auralast Wood.

To learn more visit [www.jeld-wen.com/auralast](http://www.jeld-wen.com/auralast)



We offer the industry's only 20-year warranty against wood decay and termite infestation.



# JELD-WEN® INTERIOR AND EXTERIOR DOOR SLAB AND SYSTEM LIMITED WARRANTY

## OUR WARRANTY TO YOU...

JELD-WEN® Products<sup>1</sup> are designed to create lasting value for your home. This warranty is effective for JELD-WEN products manufactured on or after **May 1, 2012** for use in the United States and Canada. Any previous warranties will continue to apply to products manufactured by JELD-WEN prior to this date. For additional information, including care and maintenance information refer to [www.jeld-wen.com](http://www.jeld-wen.com) or [www.jeld-wen.ca](http://www.jeld-wen.ca).

### What This Warranty COVERS

We warrant to the original owner<sup>2</sup> that if your JELD-WEN Product exhibits a defect in material or workmanship within the time periods from the date of purchase as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part. Skilled labor<sup>3</sup> (where deemed necessary by us) to repair or replace any component is provided for **one (1) year** from the date of purchase.

### Owner-Occupied Single-Family Residence Limited Warranty

**Door Slabs:** Except as set forth below, we warrant our door slabs, including any glass inserts, miscellaneous hardware, and accessories provided and installed by us, as follows:

Door Slab	Coverage
Fiberglass Exterior Doors	As long as you own and occupy your residence
FiberLast® Engineered Composite Exterior Doors	As long as you own and occupy your residence
Steel Exterior Doors	Ten (10) years
Wood Exterior Doors	Five (5) years
Interior Doors	Five (5) years

**Factory Prefinish:** We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to credit per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)

Product	Coverage	Refinish Credit
Aurora® Fiberglass Doors	5 years	\$350 per opening
Custom Exterior Wood Doors	1 year	\$250 per opening
Custom Interior Wood Doors	1 year	\$150 per opening
All other Doors	1 year	\$100 per opening

**Door Frames:** We warrant our door frames for **one (1) year** from the date of purchase.

**AuraLast® Protection for Door Slabs and Frames:** Our AuraLast pine wood door slabs will be free from wood decay and/or termite damage for **twenty (20) years** from the date of initial purchase. Our AuraLast pine door frame components will be free from wood decay and/or termite damage **for as long as the original consumer owns the home** in which the AuraLast wood frames are originally installed. Warranty coverage outside Canada, the contiguous 48 states and Alaska is contingent upon approval from the JELD-WEN Customer Care Department. Please contact us.

**Severe Weather® Glass:** We warrant each Severe Weather glass unit for **ten (10) years**.

**Retractable Screens:** We warrant retractable roll screens for **five (5) years**.

**Spontaneous Glass Breakage:** We warrant sealed glass units installed in exterior doors (excluding laminated glass, and special glazings) for spontaneous breakage for **one (1) year** (including free replacement glass and skilled labor<sup>3</sup> necessary

to replace the glass for one (1) year. Spontaneous breakage occurs when the glass develops a crack without sign of impact.

### Commercial Limited Warranty (Other than Owner-Occupied Single-Family Residence)

**Fiberglass, FiberLast, Steel, Wood and Interior Door Slabs:** We warrant our door slabs for **five (5) years** from the date of initial purchase.

**All Other Products, Components, Prefinishes, and Options as Listed Above:** Coverage is the same as for Owner-Occupied Single-Family Residences as listed above.

### Transferability

This warranty is not transferable.

### How to Get Assistance

If you have a problem with your JELD-WEN Door, immediately upon discovery, contact the distributor or dealer from whom you purchased our product or contact us directly:

#### In the United States:

Mail: JELD-WEN Customer Care  
Attn: Door Warranty Claims  
P.O. Box 1329, Klamath Falls, OR 97601  
Phone: 800-JELD-WEN (800-535-3936)  
Fax: 800-436-5954  
Email: CustomerServiceAgents@jeld-wen.com  
Web: [www.jeld-wen.com/contact-us](http://www.jeld-wen.com/contact-us)

#### In Eastern Canada:

Mail: JELD-WEN Service Department  
90, rue Industrielle  
Saint-Appollinaire, Quebec, Canada G0S 2E0  
Phone: 800-463-1930  
Fax: 888-998-1599

#### In Western Canada:

Mail: JELD-WEN Service Department  
550 Munroe Avenue  
Winnipeg, Manitoba, Canada R2K 4H3  
Phone: 888-945-5627  
204-668-8230  
Fax: 204-663-1072  
Email: [wpgservice@jeld-wen.com](mailto:wpgservice@jeld-wen.com)

We can respond quickly and efficiently if you provide the following: a) date and location of purchase, or product identification from the tag on the top edge of the slab, b) how to contact you, c) the address where the product can be inspected, and d) a description of the apparent problem and the product (photographs are helpful).

### What We Will Do

Upon receiving your notification, we will send out an acknowledgement within three business days to the contact, which you have provided. We will investigate your claim and will begin to take appropriate action within 30 days after receipt of notification. If your warranty claim is denied, we may charge an inspection fee for an onsite inspection that is required or requested by you.

If your claim is accepted, and we choose to repair or replace the product or a component of the product, the replacement product/component will be provided in the same specification as the original product. Replacement products, components and services are warranted for the balance of the original product or service warranty, or 90 days, whichever is longer.

If the claimed nonconformity is warp of a door slab, we may defer repairing or replacing the door slab for a period up to 12 months from the date of claim. It is not uncommon for a temporary warp condition to occur as the door slab adjusts to local humidity and temperature conditions. This deferral will not be counted against the warranty period.

Continued on next page

## What This Warranty Does NOT Cover

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components (e.g., locksets, handles, etc.) not sold by JELD-WEN to the original owner. See your distributor or dealer regarding the warranty on the entire door system and/or these other components.

We are not liable for:

- Normal wear and tear, including normal wear and tear of weatherstrip; and natural weathering of surfaces or variations in the color or texture of wood or finish; surface cracks that are less than 1/32" in width and/or 2" in length; for knotty alder and juniper: surface checks that are less than 1/8" in width and/or 5" in length, and knot placement, quantity, or size.
- Problems due to misuse or abuse; failure to follow the care and maintenance instructions; or as a result of any cause beyond our reasonable control (e.g. fire, flood, earthquake, other acts of nature, and acts of third parties outside of our control).
- Problems related to: improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door slab and frame (See our Finishing Instructions at [www.jeld-wen.com/resources](http://www.jeld-wen.com/resources)); variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
- Failure to provide an adequate overhang for exterior doors; damage caused by extreme temperature buildup where storm doors are present. For general guidelines, see our "Appropriate Protection for Exterior Doors" in our product literature or at [www.jeld-wen.com/resources](http://www.jeld-wen.com/resources); for specific information pertaining to your structure, consult your contractor or other building professional.
- Warp for any 3'6" wide by 8' 0" high by 1 3/4", or smaller door slab, which does not exceed 1/4" in the plane of the door slab itself; door slabs wider and/or higher are not guaranteed for warp.
- Bow or misalignment in the frame or jamb in which the door slab is hung (if such is purchased from JELD-WEN unmachined and not prehung).
- Slight expansion or contraction due to varying environmental conditions; slab movement (shrinkage or swelling) of 1/4" or less due to temperature and humidity, consult our Care & Maintenance documents on how to work with this natural movement.
- Wood decay for wood components other than of AuraLast pine; and wood decay for any wood components (including pine) that come in direct contact with soil. Note: superficial mold/mildew does not indicate wood decay.
- Problems related to water and/or air infiltration due to improper assembly; installation errors or flaws in building design and construction; installation must be in strict conformance with the installation instructions provided by the manufacturer of the door entry system.
- Structural integrity issues or other problems caused by improper field fitting of the hardware, improper sizing of the door slab, or other assembly problems.
- Slight imperfections or wavy distortions in the glass that don't impair structural integrity. Note: wavy distortions in the glass (e.g. related to laminate interlayer or heat strengthening of glass) are not considered a defect. Slight color variations in glass are not considered a defect.
- Screen damage due to normal wear and tear, misuse, abuse, or insect or animal activity.
- Condensation or damage as a result of condensation (Note: unless due to insulating glass failure, most condensation problems are related to excessive humidity levels in a structure; contact a heating/air conditioning specialist for help).
- Damage or poor product performance resulting from installation into a condition that exceeds product design standards and/or certified performance specifications and/or does not comply with applicable building codes.
- Hardware, accessories or inserts that are not provided by us.

- Discoloration or rusting of decorative metal accent options, such as grilles, clavos, straps, etc.; discoloration of wood sills provided by us.
- Cost for labor, removal or disposal of defective product(s), installation or finishing of the replacement door or component.
- Incidental or consequential damage. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

### Important Legal Information --

#### Please read this carefully. It affects your rights.

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the Product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state/province.

Any dispute, controversy or claim arising out of or relating to this warranty, any alleged breach thereof, or the use or sale of the products to which this warranty applies shall be resolved by mandatory and binding arbitration administered by the American Arbitration Association in accordance with its commercial arbitration rules. Original purchaser agrees that they may assert claims against JELD-WEN in their individual capacity only, and not as a plaintiff or class member in any purported class action proceeding. Rejection of these dispute resolution provisions must be sent to JELD-WEN at the address provided herein within thirty (30) days of original purchaser's receipt of the Products to which this warranty applies.

No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty. The original purchaser of this Product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the Product is installed.

<sup>1</sup> "JELD-WEN Products" shall refer to interior and exterior door slabs and systems manufactured in the United States and marketed under the JELD-WEN brand name for use in the United States and Canada. See our separate Export Warranty for applicable coverage on products used outside the United States and Canada.

<sup>2</sup> This warranty extends to the original owner (original owner means the contractor/dealer/distributor/purchaser and the initial owner of the structure where the product is initially installed) and is not transferable. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed. Should state or provincial law preclude no transferability, then the warranty period is effective as applicable up to five (5) years from the date of initial purchase for door slabs and systems and one (1) year from the date of manufacture for the factory pre-finish.

<sup>3</sup> "Skilled labor" refers to tasks where specialized technical knowledge, experience, methods or tools are required to properly identify, diagnose and/or correct product-related problems.

© 2010, JELD-WEN, inc. | JELD-WEN, Aurora, FiberLast and AuraLast are trademarks or registered trademarks of JELD-WEN, inc., Oregon, USA. All other marks are the property of their respective owners.

The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at [jeld-wen.com](http://jeld-wen.com) today.



Official window and door provider of Major League Soccer



JELD-WEN is proud to support a better way to build



All JELD-WEN® door designs in this brochure feature ODL doorglass

©2012, 2011 JELD-WEN, inc. This publication and its contents are owned by JELD-WEN, inc. and are protected under the U.S. Copyright Act and other intellectual property laws. Unauthorized use or duplication is prohibited. All trademarks, service marks, logos, and the like (whether registered or unregistered) are owned or controlled by JELD-WEN, inc. or others.

JELD-WEN reserves the right to change product specifications without notice. Please check our website, [jeld-wen.com](http://jeld-wen.com), for current information.

**10-568 07/12** (CDS 6M)